### Warranty and Service





### **Owner Details**

Name	 							 	
Address	 								
	 			Pos	st Co	ode		5	
Selling Dealer's Stamp						S	く		
Selling Dealer's Signature		0	C						
Vehicle Details	2							 	
Model Name								 	
Model Code								 	
Build (Production) Date	 							 	
Vehicle Identification Number (VIN)									
Warranty Commencement Date									

### **IMPORTANT NOTICE**

In the event that we need to contact you about your Toyota, please notify us if there is any change to name, address or ownership. Contact the Toyota Customer Experience Centre on Freecall **1800 869 682** or visit the Toyota Owner's Portal: **www.toyota.com/owners** to update the ownership information of your vehicle.


### A Great Service, Even Better Value

With Toyota Service Advantage you're always in safe hands knowing in advance what your service costs will be. You can also rest easy because your vehicle will be serviced by Toyota Trained Technicians who know your car inside out and use the most advanced diagnostic equipment along with Toyota Genuine Parts which come with a 12 month warranty\*.

### Call 1800 Toyota (869 682) for your nearest Toyota Dealer.

### Visit Toyota's website: toyota.com.au

\* All Toyota Genuine Parts carry a 12 month Toyota Warranty. Conditions apply. The Toyota Genuine Parts Warranty does not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.





Toyota Service Advantage makes owning a Toyota so much easier because you pay the same low price from one logbook service to the next. So rather than receiving unwelcome surprises, you know in advance what your servicing costs will be for the first three years or 60,000 km, whichever comes first\*.

To confirm your vehicle's eligibility for Toyota Service Advantage visit toyota.com.au/advantage. You will be able to confirm your vehicle's capped price service costs and the number of services covered. Please keep in mind that each Toyota Service Advantage service has a time / km limit for its redemption.

\* Maximum payable for standard scheduled servicing (normal operating conditions) until first of 3 years or 60,000 km [up to the first 6 services]. Excludes Government and Rental vehicles. Contact your Toyota Dealer or go to **toyota.com.au/advantage** for other exclusions and eligibility.

27/05/2014

To ensure that your new Toyota is delivered to you in top condition, and that you are familiar with your new vehicle and matters relating to it, the following factory approved pre-delivery service has been performed.

Inspect vehicle exterior	Supply fuel
Inspect vehicle interior	Complete vehicle documentation, including 'New Vehicle Information
Download and install ToyotaLink (if equipped)	Statement' on the inside front cover of this book
Inspect under hood	Review vehicle owner's manuals
Inspect luggage compartment	Explain vehicle service requirement
Inspect under vehicle (on hoist)	Demonstrate features and accessories
Road test	Explain operation of Dealership Service
Final inspection	and Parts Departments, including contact names, business hours, etc.
Yours sincerely,	
Dealer Principal / General Manager	
Sales Manager	

Service Manager

If your name or address has changed or you are the new owner of this Toyota, please contact the Toyota Customer Experience Centre on Freecall **1800 869 682** or visit the Toyota Owner's Portal: **www.toyota.com/owners** to update the ownership information of your vehicle.

This will allow Toyota to make a record of your ownership of the vehicle, and to contact, you with any important product or safety updates concerning your vehicle.

Toyota may provide your details to a mailing house for the purposes set out above. Please see the Privacy Statement at the front of this book for further information about Toyota and privacy.

> Scan this QR code\*
>  with your smartphone or tablet to visit the Toyota
>  Owner's Portal

### Bluetooth™ Compatibi'ity Guide

To find what phones are compatible with your vehicle and confirm their functionality, visit the Toyota Repair Information Website and view the Bluetooth<sup>™</sup> Compatibility guide: **https://toyotamanuals.com.au/bluetoothguide** 

**Please note:** The list of phones displayed is based on the top 45 selling phones in a calendar year within the Australian market. If your mobile phone is not included in this list, it does not mean that your phone is not Bluetooth<sup>™</sup> compatible with your Toyota. It just means that testing has not been conducted on mobile phones that are not listed on the site.

- Scan this QR code\* with your smartphone or tablet to view the Toyota Bluetooth™ Compatibility guide



	Z		
	0	NOI	
	-	SPECT	
	-	LE INS	
	4	/EHIC	
	⊢	TARY V	2
A.		COMPLIMENTARY VEHICLE INSPECTION	
	Ζ	U U	

In keeping with Toyota's commitment to Customer Care, your Toyota Dealer will be pleased to offer you a Complimentary Vehicle Inspection within one (1) month of the delivery date of your new vehicle.

queries you may have. This additional inspection opportunity is provided to make sure you are comfortable As well as carrying out a general inspection of your vehicle, your dealer will be pleased to respond to any and familiar with your new Toyota.

This Complimentary Inspection offer expires one (1) month after the delivery date of your new vehicle.

# **BOOK NOW AT YOUR LOCAL TOYOTA AUTHORISED SERVICE CENTRE**

Note: Engine Oil and Oil Filter replacement is not required at this inspection.

6

COMPLIMENTARY VEHICLE INSPECTION	HICLE INSPECTION
OWNER DETAILS	VEHICLE DETAILS
Name	Model Name
Address	Model Code
Suburb	Registration Number
State Postcode	
Customer's Signature	
Selling Dealer's Stamp	Inspecting Dealer's Stamp
	C
General Inspection	Engine Compartment
Check for normal operation of the engine and drivetrain,	Inspect brake fluid evel
condition of exhaust system, brake pipes, hoses, steering and suspension linkages. drive shaft boots and couplings.	Inspect engine on level Inspect drive belt tension
door lock adjustment and body exterior.	Inspect coolant level and hose clamps
Inspect brake pedal free-play and park brake adjustment.	Fuel System
	Inspect condition of tuel lines
Note: Engine Oil and Oil Filter replacement is not required at this inspection.	on.

### Section 1

1

Important Notice1-2
Toyota and Privacy1-2
Congratulations!1-3
Toyota Authorised Service Centres1–4
Toyota Genuine Parts and Accessories
Toyota New Vehicle Warranty
Your Responsibilities
Warranty Period - 3 years or 100,000 kilometres, whichever occurs first1–7

Corrosion Perforation Warranty	.1–7
Accessory Warranty	.1–7
What is Covered by Your Toyot	
Paint Defect and Surface Rust.	.1–9
What is Not Covered by Your Toyota New Vehicle Warranty	1_0
Helpful Questions and	. 1–3
Answers1	-11

### **Important Notice**

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and for compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

No Toyota Warranty and nothing in this Warranty and Service Book limits the consumer guarantees under the Australian Consumer Law in any way. In some circumstances your rights under those guarantees may be greater than your rights under the applicable Toyota Warranty, in which case Toyota will always honour your rights under the guarantees.

### **Toyota and Privacy**

Toyota is committed to protecting your privacy and is required to comply with the Australian Privacy Principles in the Privacy Act 1988 (Cth) when it collects and handles your personal information. This includes providing you with the right to access and correct your personal information (subject to some exceptions allowed by law).

For further information about Toyota and privacy, please see the Toyota Privacy Policy, available at www.toyota.com.au. You can also contact us by calling 1800 Toyota (869 682), or by sending your query to:

Toyota Privacy Contact P.O. Box 187 Caringbah, NSW 1495

©2014 Toyota Motor Corporation Australia Limited

ABN 64 009 686 097

All information in this book is current at the time of printing. However, because of Toyota's policy of continual improvement, we reserve the right to make changes at any time without notice. All rights reserved. This material may not be reproduced or copied, in part or whole, without the written permission of Toyota Motor Corporation Australia Limited.

### Disclaimer

This book explains the warranty and service of all factory installed equipment and options. Due to specification differences among models, you may find that some information may not be applicable to your vehicle. If you have any questions or concerns, please contact your Toyota Authorised Service Centre, they'll be glad to help you.

### Congratulations on purchasing your new Toyota.

No matter whether this is your first Toyota or you have previously owned a Toyota, you're sure to appreciate the safety, economy and superb engineering of your new vehicle.

In this Warranty and Service Book you'll find all the information you need to ensure your vehicle is maintained in the best possible condition. You'll also find an explanation of everything covered by your comprehensive 3 year/100,000 kilometre Toyota New Vehicle Warranty\*.

This Warranty and Service Book is also your vehicle's service record.

Nothing helps the resale value of your vehicle like a complete service history from your Toyota Authorised Service Centre. It demonstrates to any potential buyer that you've taken care of the vehicle, making it an invaluable asset for negotiating the best possible resale price. We suggest you keep this book in the glove compartment of your vehicle so your Toyota Authorised Service Centre can easily stamp it at every service.

Please take the time to read this Warranty and Service Book and, if you have any questions, contact your Toyota Authorised Service Centre. Happy motoring and thank you for choosing Toyota.

\* The Toyota warranties do not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### Locating your nearest Toyota Authorised Service Centre

To locate your nearest Toyota Authorised Service Centre, you can:

1. Call the Toyota Customer Experience Centre on Freecall 1800 869 682

and follow the prompts.

Or

2. Use the Dealer Locator tool in the "Contact Us" link on the Toyota Website:

### www.toyota.com.au/car-dealers

### Or

3. Scan the QR Code\* below with your smart phone or tablet to view the Dealer Locator Tool:



\* QR code App required

### **Designed For the Health of Your Toyota**

Your Toyota Authorised Service Centre plays an integral role in the enjoyment of your new Toyota. Here you'll find all the expertise you could hope for to ensure your vehicle remains in excellent condition and to assist in years of trouble-free motoring. Your Service Centre can also help with repairs, products such as tyres, Toyota Genuine lubricants, fluids and batteries and, of course, Toyota Genuine Accessories.

Better still, you can use any Toyota Authorised Service Centre in Australia which means that with over 290 Centres Australia-wide, you're never far from a helping hand. If you have any questions don't hesitate to contact any one of them.

### Nobody Knows Your Toyota Like Toyota

Toyota Trained Technicians work on Toyotas day in and day out. They also use highly advanced diagnostic equipment and specialised tools and receive ongoing training and regular updates from Toyota to ensure they can keep your Toyota at its very best.

Naturally, your Toyota Authorised Service Centre also only uses Toyota Genuine Parts that are manufactured to Toyota's exacting standards and come with a 12 month warranty\*.

### Yet Another Helping Hand - Toyota Customer Experience Centre

Should you ever need further assistance, call the Toyota Customer Experience Centre. Our Advisors can help you with information on our products, Toyota Authorised Service Centres, the maintenance of your vehicle and any other questions you may have.

Freecall 1800 Toyota (869 682)

If you'd prefer to write, our address is:

Toyota Customer Experience Centre

P.O. Box 187

Caringbah, NSW 1495

or

### toyota.com.au

Please include your vehicle's details, which you'll find inside the front cover of this book.

\* All Toyota Genuine Parts carry a 12 month Toyota Warranty. Conditions apply. The Toyota Genuine Parts Warranty does not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### Fit Better, Work Better, Look Better

In order for you to make the most of your vehicle, Toyota Genuine Parts and Accessories are manufactured to Toyota's rigorous standards. This means they fit and perform at their best while helping you keep your Toyota 100% Toyota. And to ensure you get things when you need things, your Toyota Authorised Service Centre is electronically linked to every parts distribution centre around Australia.

### **PROTECT YOUR WARRANTY**

In order to help you protect both yourself and your Toyota, non-genuine parts are not covered by your Toyota new vehicle warranty. In fact, if a non-genuine part is fitted to your vehicle, and that item causes any damage, the damage will not be covered by your Toyota New Vehicle Warranty.

Toyota does not approve of the fitment of non-genuine performance enhancing products such as power chips, forced induction products, suspension components, etc. as these products typically impart forces / loads greater than the original design intent and may compromise the vehicles longevity and durability.

By having your Toyota maintained at a Toyota Authorised Service Centre, you'll be in safe hands knowing that your vehicle is being serviced by experts and will always be fitted with Toyota Genuine Parts. Doing so keeps your Toyota, and your warranty, in the very best condition.

### Toyota Genuine Accessories

Whether it's to protect or personalise your new Toyota, we offer a range of Toyota Genuine Accessories\* And since they're designed, tested and manufactured to strict Toyota standards they offer the best possible performance and real peace of mind.

- \* All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year. Conditions apply.
- The Toyota Genuine Accessories Warranty does not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### Your Responsibilities

You must operate, maintain and care for your Toyota properly, in accordance with the instructions in this book and your vehicle's Owner's Manual. The best way to maintain your vehicle is through a Toyota Authorised Service Centre.

If your name or address has changed or you are the new owner of this Toyota, please contact the Toyota Customer Experience Centre on Freecall **1800 869 682** or visit the Toyota Owner's Portal: **www.toyota.com/owners** to update the ownership information of your vehicle.

If for some reason the odometer is changed, please have your Toyota Authorised Service Centre verify the date of the change and kilometres travelled on the form located at the back of this book.

### Warranty Period - 3 years or 100,000 kilometres\*, whichever occurs first

The Toyota New Vehicle Warranty applies to all new Toyota vehicles sold in Australia. The Warranty Period is 3 years or 100,000 kilometres, whichever occurs first. The actual commencement date of the warranty is shown on the New Vehicle Information Statement on the inside front cover of this book. This will be the date the vehicle is either (A) delivered to its first owner, or (B) put into service by Toyota or a Toyota Dealer as a company or demonstrator vehicle.

Within the Warranty Period Toyota will repair or replace at any of its Toyota Authorised Service Centres and at its discretion, any original equipment Toyota components found to be defective under normal use and operation in Australia.

### **Corrosion Perforation Warranty\***

You have peace of mind that your new Toyota is constructed to resist rust and corrosion. Any corrosion perforation (rust through) of any original body panel, will be repaired or replaced within the Corrosion Perforation Warranty period of 5 years, except for deck panels of Utility vehicles which are covered for a period of 3 years and in the instances listed under What Is Not Covered By Your Toyota New Vehicle Warranty in this Section. For information on how to protect your Toyota from corrosion, see Corrosion Prevention and Appearance Care in the Owner's Manual.

\*The Toyota warranties do not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### Accessory Warranty

All Toyota Genuine Accessories purchased and fitted to a Toyota are warranted for the remainder of the New Vehicle Warranty or 12 months, whichever is greater. Toyota Genuine Accessories purchased from an authorised Toyota Dealer over the counter are warranted from the date of purchase for one year. Conditions apply\*.

\*The Toyota Genuine Accessories Warranty does not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### What is Covered by Your Toyota New Vehicle Warranty

### The Difference Between a Warranty Repair and a Maintenance Service

A Warranty Repair is a repair performed during the Warranty Period to rectify any problem caused by faulty materials and/or workmanship at the time of new vehicle manufacture. It is normally free of charge.

Maintenance Services are the all-important regular inspections, adjustments and tune-ups. A service includes inspections, checks, changes of oils and fluids, and the replacement of normal wearing parts due to accumulated time or distance. These are competitively priced by your Toyota Authorised Service Centre.

### Towing the Vehicle

If during the Warranty Period a warranted part fails, and your vehicle has broken down or is unsafe to drive, towing of your vehicle to the nearest Toyota Authorised Service Centre is covered under the warranty. For further information, see Helpful Questions and Answers in this Section.

### Battery

A defective original equipment battery will be replaced free of charge during the first 12 months of service, regardless of kilometres travelled. If the battery is found to be defective during the second 12 months of service, 50% of the replacement cost will be covered by the warranty.

### LPG (Liquefied Petroleum Gas) - Where Fitted to Petrol Engine Models Only

Note that LPG applies to petrol engine models only. Diesel engine vehicles cannot be converted to LPG.

Not all Toyota engines are certified for conversion to LPG, please contact your Service Advisor at your Toyota Authorised Service Centre for more information on LPG conversion.

If your vehicle is fitted with the Toyota Approved LPG System on an LPG Compatible Engine at the time of new vehicle purchase then the LPG system is provided with the full 3 years or 100 000 kilometre warranty\* - the same as the vehicle. If the system is fitted after purchase, the warranty applies for the remainder of the new vehicle warranty or for 12 months, whichever is longer. Where a Toyota Approved LPG System is fitted on an LPG Compatible Engine, the engine is fully covered by your Toyota New Vehicle Warranty.

Where a Toyota Approved LPG System is fitted on an engine not certified by Toyota as LPG Compatible, damage caused to the vehicle by the LPG system is not covered by your Toyota New Vehicle Warranty.

Your Toyota New Vehicle Warranty may be affected where a non-Toyota Approved LPG System is fitted. Speak to the Service Advisor at your Toyota Authorised Service Centre for advice on the best system to suit your vehicle.

\* The Toyota warranties do not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### Paint Defect and Surface Rust

Any surface rust or paint defects appearing on painted body panels under normal use will also be covered by the Warranty Period except for deck panels of Utility vehicles.

Deck panels for Utility vehicles will be covered by a Warranty Period of 1 year or 20,000 kilometres whichever occurs first.

For information on how to protect your Toyota from corrosion, see Corrosion Prevention and Appearance Care in the Owner's Manual.

### What is Not Covered by Your Toyota New Vehicle Warranty\*

- Tyres are not covered by the Toyota New Vehicle Warranty but by the tyre manufacturer's warranty. This does not mean you are deprived of any statutory rights in respect of these items. Your Toyota Authorised Service Centre will be able to help you if you have any questions on tyre warranty.
- Repairs and service adjustments required due to vehicle misuse or negligence are not covered. Misuse and negligence includes the following:
  - Formal or informal competitive events, such as racing.
  - Off-road use where the vehicle is not designed or marketed for that purpose.
  - Water ingress from floods or deep water fording.
  - Overloading permissible loads are covered in the vehicle owner's manual.
  - Improper adjustment, repair, tampering or modifications by a non-Toyota repairer.
  - Accident damage.
  - Lack of proper care or attention as defined in the vehicle manuals and instructions.
- Defects caused by the fitment of non-Toyota-approved parts, accessories, add-on parts, improper or lack of maintenance are not covered.
- Scratches or surface rust caused by normal wear and tear, such as stone, or other chips, in the paint are not covered.
- Damage or breakage of the windscreen or glass caused by normal wear and tear, such as stone impacts are not covered.
  - Environmental damage, such as hailstones, windstorms, flooding, fire, lightning or airborne fallout (chemicals, tree sap, bird and insect droppings, etc.) are not covered.
- Incidentals such as phone calls, car rental charges, hotel bills, inconvenience or commercial loss are not covered.
- Damage caused by improper or lack of maintenance, or the use of fuels, oils, lubricants, coolants or fluids other than those specified in the Owner's Manual are not covered.

Section 1-9

### Section 1 Toyota New Vehicle Warranty

- Engine tune-ups, lubrication, replacement of expendable parts such as filters, coolant, spark plugs, fuses, brake pads, wiper blades are normal wear and tear parts, and are not considered warranty items.
- Normal noise, vibration, wear and tear, and deterioration such as discolouration, flaking, deformation or blur are not covered.
- Fitment of an LPG system could affect your Toyota New Vehicle Warranty. Please refer to What Is Covered By Your Toyota New Vehicle Warranty in this Section. For more information on LPG conversions speak to the Service Advisor at your Toyota Authorised Service Centre for advice on the best system to suit your vehicle.
- Petrol engines: Damage caused by the use of fuels with an Ethanol content greater than 10% (E10).
- Diesel engines: Damage caused by the use of biodiesel fuels greater than 5% (B5) and not conforming to the national diesel fuel standard EN590.

Additional note:

Toyota recommends that you only use high-quality fuels from commercially available sources whether diesel, biodiesel or petrol. Fuel manufacturers take great care to deliver products that meet the required fuel standards. Vehicle damage that results from using substandard, non-approved or privately blended fuels is not covered.

\* The Toyota warranties do not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

NOTFOR

### **Helpful Questions and Answers**

### What should I do if there are any concerns with my new Toyota following delivery?

Because your vehicle is rigorously checked before it is delivered to you, it is highly unlikely you will find any problems with your new Toyota. However, should you have any concerns or questions regarding your new vehicle, bring it into any Toyota Authorised Service Centre for a Complimentary Inspection, the coupon is located in the front of this book.

### Does my new Toyota need an oil change during the break-in period?

Your new Toyota is manufactured to precision tolerances and is rigorously checked and filled with high quality lubricants at the factory; as such the oil and filter will be changed at the first scheduled maintenance service, refer to the Maintenance Schedule in Section 2.

### When do I get my Toyota serviced, and how do I arrange it?

Your Toyota should be serviced according to the Maintenance Schedule in Section 2 of this book. Additional Service Requirements apply for vehicles driven in harsh conditions or often used for towing heavy loads. The additional requirements are also described in Section 2 of this book. The Service Advisor at your Toyota Authorised Service Centre, can best advise you on the maintenance requirements to suit your driving conditions.

### Why is time just as important as kilometres for servicing?

If you only drive short distances then you should service your vehicle according to time intervals rather than kilometres travelled. In other words, don't wait months to get your car serviced just because you haven't travelled the required kilometres, waiting can cause all sorts of problems. Harsh driving conditions such as driving on dusty roads, towing or repeated short journeys such as going to the shops, dropping the kids at school, and quick work trips are some of the hardest forms of work an engine can endure, so regular servicing is vital. For more details see the Maintenance Schedule in Section 2.

### Who should service my Toyota?

One of over 290 Toyota Authorised Service Centres, that's who. After all, every Toyota Authorised Service Centre offers specialist Toyota Trained Technicians who work on Toyotas day in and day out. They understand what makes your Toyota 'tick', delivering quick and accurate diagnosis of your vehicle's health. Toyota Authorised Service Centres have access to the latest diagnostic equipment and specialist service tools along with receiving regular updates from Toyota. And because Toyota Authorised Service Centres only use Toyota Genuine Parts which are covered by a 12 month warranty\*, you'll keep your Toyota, and your warranty, in far better condition. Not to forget that a full service history from a Toyota Authorised Service Centre may also enhance the resale value of your vehicle.

\* All Toyota Genuine Parts carry a 12 month Toyota Warranty. Conditions apply. The Toyota Genuine Parts Warranty does not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### Who is the best person to talk to at the Toyota Authorised Service Centre?

Talk to your Service Advisor or Customer Relations Manager at your Toyota Authorised Service Centre. If they're unable to assist, ask to speak with the Service Manager.

### Isn't Toyota servicing more expensive?

The simple answer is no. After all, you'll probably be entitled to Toyota Service Advantage\* where you pay the same low price from one logbook service to the next so you know in advance what you'll be paying for the first 3 years or 60,000 km, whichever occurs first. Even after Toyota Service Advantage, you'll still enjoy value for money servicing and repairs at any Toyota Authorised Service Centre in Australia.

\* Maximum payable for standard scheduled servicing (normal operating conditions) until first of 3 years or 60,000 kms (up to the first 6 services). Excludes Government and Rental vehicles. Contact your Toyota Dealer or go to **toyota.com.au/advantage** for other exclusions and eligibility.

### If I have any problems with my Toyota during the Warranty Period, what is the best way of getting my Toyota repaired?

Your Toyota New Vehicle Warranty provides comprehensive security against any unlikely faults in your new Toyota. However, if you need repairs, don't hesitate to call your Toyota Authorised Service Centre. Every Toyota Authorised Service Centre is committed to providing any Warranty Repairs you may need.

### Does towing a caravan or trailer impact on my Toyota New Vehicle Warranty?

Your Toyota is engineered to deliver excellent towing performance.

So naturally, towing a caravan or trailer is covered by the Toyota New Vehicle Warranty as long as you follow some 'common sense' procedures and don't overload your vehicle. The safest way to tow anything is to have your Toyota Authorised Service Centre fit Toyota Genuine towing equipment, and be a cautious, considerate driver. Remember, towing a caravan or trailer can have an adverse effect on the stability, safety, durability and operating economy of your vehicle.

### If my vehicle is off the road being repaired, are out of pocket expenses such as accommodation, travel or commercial loss included in the Toyota New Vehicle Warranty?\*

The Toyota New Vehicle Warranty covers repairs or replacement of parts that are defective in materials or workmanship at the Toyota Authorised Service Centre premises. It does not cover claims for compensation.

### What costs are not covered by the Toyota New Vehicle Warranty?

The costs of regular maintenance servicing are not part of the Warranty. Please see What Is Not Covered By Your Toyota New Vehicle Warranty in this Section.

\* The Toyota warranties do not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### What happens to the Toyota New Vehicle Warranty if I modify my vehicle?

The Toyota New Vehicle Warranty will continue to apply to original components of the vehicle providing they have not been altered or adjusted in any way. Also, the Toyota New Vehicle Warranty will continue to apply if your vehicle is fitted with Toyota Genuine Parts and Accessories approved for your model. Any modifications or damage resulting from the modifications to your vehicle, are not covered by your Toyota new vehicle warranty. For further information refer to What Is Covered By Your Toyota New Vehicle Warranty in this Section.

### Are tyres covered by the Toyota New Vehicle Warranty?\*

Tyres are covered by the tyre manufacturer's warranty. See What Is Not Covered By Your Toyota New Vehicle Warranty in this Section.

\* The Toyota warranties do not limit and may not necessarily exceed your rights under the Competition and Consumer Act 2010.

### I've just taken ownership of a used Toyota. What do I do?

Firstly, take your vehicle to a Toyota Authorised Service Centre to give it a comprehensive safety check. That way any potential problems can be rectified immediately. Then simply keep your vehicle serviced according to the Maintenance Schedule in this book.

Please ensure that your Service Centre provides updated information to Toyota Motor Corporation Australia.

### Where do I go for service after the Warranty Period expires?

If you've had your Toyota serviced by your Toyota Authorised Service Centre for the length of its warranty you'll no doubt find it's in excellent condition. So why would you risk going elsewhere now.

### If I don't drive many kilometres, why should I service my vehicle by time?

Regular maintenance is vital in maintaining the high level of performance and reliability that you expect from your vehicle. Over time the fluids and oils in your vehicle lose their ability to protect your vehicle components from failure.

Therefore your service intervals are for a given time or distance, whichever occurs first.

### If Leave a long time between services, will this impact my Toyota New Vehicle Warranty?

You must service your vehicle according to the Maintenance Schedule in Section 2 of this book. Your Toyota New Vehicle Warranty does not cover damage caused by inadequate maintenance.

### If I have an accident, is my vehicle covered by the Toyota New Vehicle Warranty?

Unless the accident is caused by the failure of a warranted part, your vehicle is not covered.

### What if I'm travelling and need a service or repair?

There are more than 290 Toyota Authorised Service Centres around Australia, all of which are authorised to carry out servicing, general maintenance and unexpected repairs for you. You'll enjoy exactly the same great experience as you would at your regular Toyota Authorised Service Centre and be back on the road as soon as is physically possible. Better still, many of our Toyota Authorised Service Centres also offer a range of One-Stop-Shop products such as tyres, batteries, lubricants and fluids.

### What about using fuel containing Ethanol?

Toyota approves the use of petrol with an Ethanol content up to the limit of 10%. Toyota warranty will not cover failures or faults due to operation on fuels with an Ethanol content greater than 10%.

### What about using biodiesel fuels?

Toyota will endorse biodiesel fuel blends using FAME (Fatty Acid Methyl Esters that comply with either EN14214 or ASTM D6751 standards) of up to 5% volume concentration when mixed with conventional diesel fuel. The final product B5 (5% Biodiesel blend) at the pump must conform to the national Diesel Fuel Standard which is based on EN590.

Toyota warranty will not cover failures or faults due to operation on biodiesel fuels greater than a 5% (B5) blend.

### Can my Toyota be converted to run on LPG? (Petrol Engine Models Only)

Refer to What Is Covered By Your Toyota New Vehicle Warranty in this Section for more information on LPG conversions.

### Should I use additional fluid additives like oil, coolant and fuel enhancers?

Your Toyota is engineered to perform at its best with Toyota Genuine Lubricants and Fluids. Use of further additives is not recommended by Toyota.

### If I have an accident can my insurance company insist on the repairer I use?

In the event that you are involved in an accident and your Toyota needs repairs, we recommend that you contact your insurer and insist that your vehicle is repaired to Toyota specifications using only Toyota Genuine Parts and Panels that are engineered to perfectly fit and perform in the same manner as your new vehicle was originally designed to. Your Toyota Dealer can advise you on the location and availability of an authorised Toyota Body and Paint repairer who can conduct repairs according to Toyota's exacting specifications.

### Section 2

OTFOR RE

2

Maintenance of Your foyota .	.2-	2
Things You Can Do When You		
Refuel	.2-	2
Regular Toyota Authorised Ser		
Centre Checks	.2–	2
How to Calculate the Correct		
Service Intervals	.2-	3
Important Notices	. 2-	4
Maintenance Schedule	.2-	5
Maintenance Service Times	.2-	8
Additional Service		
Requirements	2–4	9
Additional Maintenance		
Service Schedule	2–5	0
Additional Maintenance Servic		
Times	2-5	1
Additional Service Record	2-5	2

### Maintenance of Your Toyota

### Things You Can Do When You Refuel

The best way to ensure years of trouble-free motoring is to develop a habit of regularly checking under the bonnet and around your Toyota. It only takes a few minutes when you're getting petrol, and early detection could save you a lot of money. If you're unsure how to carry out these checks, see your Owner's Manual or ask a Service Advisor at your Toyota Authorised Service Centre for a demonstration at your next service.

- · Check engine oil, (ensure engine is hot, wait 5 minutes for an accurate reading).
- Check engine coolant, brake, clutch and windscreen washer fluid levels.
- Check tyre pressure including spare (when cold).
- You should walk around your vehicle checking that all the lights, indicators and horn are operating correctly.
- Operate the air conditioner for at least 5 minutes per week to keep the system in optimum condition.

### **IMPORTANT NOTICE**

To maintain the protection and efficiency of the cooling system, the Toyota Super Long Life Coolant must not be mixed with any other coolant or additive.

Use premixed genuine Toyota Super Long Life Coolant to fill the cooling system. Do not use alcohol type antifreeze or plain water alone.

### **Regular Toyota Authorised Service Centre Checks**

In addition to the maintenance items listed for each service, your Toyota Authorised Service Centre will regularly check the operation of key systems. To ensure the continued efficiency and reliability of your vehicle to suit your particular driving conditions, your Toyota Authorised Service Centre may recommend additional maintenance such as:

- · Replacement of worn wiper blades
- Brake system inspections
- Headlight realignments
- Valve clearance adjustments
- Testing and re-gassing air conditioning.

### How to Calculate Your Correct Service Intervals

Regular servicing of your Toyota is critical to its performance, longevity, resale value and your safety. Determining the optimum service intervals for your vehicle is easy. Dependent upon your driving habit, you should be servicing based either on time or kilometres.

If for example you drive approximately 10,000 km or less in 6 months, you should be servicing your Toyota in accordance with the 6 month time interval expressed in this book. If on the other hand, you drive more than 10,000 km per 6 months, you should service according to the 10,000 km intervals. If you're confused in anyway just talk to your Toyota Service Advisor about the type of schedule best suited to your driving habits.

### Wheel Alignment

Abnormal or uneven tyre wear may be noted by your Toyota Authorised Service Centre during your regular maintenance service. This may be caused by your operating environment. Your Toyota Authorised Service Centre will suggest a wheel alignment check (and correction if necessary) to prevent further deterioration to your vehicle's tyres. This will be a chargeable service.

### Additional Service Requirements

How and where you drive your Toyota determines the service requirements as much as the time or distance travelled. For example, if you are regularly towing heavy loads or driving in rough conditions, then more frequent maintenance is necessary, refer to Additional Service Requirements in this Section. The Service Advisor at your Toyota Authorised Service Centre can best advise you on the maintenance requirements, to suit your driving conditions.

### Break-in Period Oil Change

Your new Toyota is manufactured to precision tolerances and rigorously checked and filled with high quality lubricants at the factory; as such the oil and filter does not need to be changed until the first scheduled service.

### Oil Thickening

Oil thickening is a phenomenon which occurs when particles of unburnt fuel and combustion by-products cause a build-up of carbon (soot) in the engine oil forming a jelly type substance. It can cause serious engine damage through oil starvation. It is essential that the engine oil is changed according to the Maintenance Schedule in this Section, at either the time or distance specified.

### UNDERSTANDING YOUR TOYOTA MAINTENANCE SCHEDULE

Here is a guide to the codes defining what type of maintenance needs to be performed at each scheduled service. You'll find these marked on Maintenance Schedule pages.

- C = Clean
- I = Inspect and correct or adjust as necessary
- D = Drain

6/09/2013 - Hilux

- L = Lubricate
- R = Replace
- T = Tighten

### Driving Through Deep Water, Mud or Sand

Items such as those following, require daily service when you drive through deep water, mud or sand:

- Brake lines and hoses
- · Brake linings/drums and brake pads/discs
- Engine air cleaner filter
- Front and rear differential oil
- Steering linkage
- Transfer oil
- Transmission fluid or oil
- Wheel bearings
- Propeller shafts and drive shafts.

### **Driving Through Water**

Avoid driving through water that may enter the engine compartment. Water entering the engine compartment may enter the engine air intake and other components causing serious damage and or the engine to stop and not restart.

Should you need to drive through deep water, first ascertain that the depth of the water is not above the bottom of the front bumper bar and that the surface of the ground under the water is firm and even with no deep holes, then you can proceed slowly in low gear.

If the water level is deeper than above, it is advisable to wait until the water level has dropped or to find another crossing.

### Water Flood

If your Toyota is caught in a flood and is submerged over the engine, do not start it or have it towed in a manner that may cause damage or unsafe operation. Water may have entered the engine, transmission, differential and other assemblies. Before your Toyota can be started and driven again, each assembly must be checked and serviced, otherwise, serious damage may occur.

For additional information on driving and towing your Toyota, see the vehicle's 'Owner's Manual'.

Ě
т
С
20
60
6

120 200

MAINTENANCE SCHEDULE																			
(Months or odometer reading, months	9	12	18	24	12 <b>18</b> 24 <b>30</b>	36	36 42 48 54	48	54	60	66	<b>60 66 72 78</b>	78	84	06	96 1	02 1	84 90 96 102 108 114	4
whichever occurs first) km x 1,000 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190	9	20	30	40	50	60	70	8	06	100	110	120	30 1	40 1	50 1	60 1	70 1	80 19	8
Engine																			
Timing belt (diesel engine)															£				
Valve clearance (diesel engine) <sup>1</sup>				-				—				—				_			
Valve clearance (1GR-FE petrol engine) <sup>2</sup>								—											
Drive belts			-	-	-	-	-	—	-	—	—	—	_	_	_	_	_	_	_
Engine oil	œ	œ	œ	œ	œ	œ	œ	œ	œ	œ	œ	œ	œ	£	£	£	œ	щ	œ
Engine oil filter	۳	Я	£	ш	щ	œ	£	œ	œ	œ	œ	œ	щ	ш	£	щ	щ	н	ш
Cooling and heater system $^{3}$								—		—		—		_		_		_	
Engine coolant (Toyota Genuine SLLC) <sup>4</sup>				Ś				—				—				щ			
Exhaust pipes and mountings		-						—		—		—		_		_		_	
Electrical System																			
Spark plugs (petrol engines)				œ				œ				œ				щ			
Battery	-	-	-	-	-	-		-	—	-	—	-	_	_	_	_	_	_	_
Fuel System						Ť													
Fuel filter (petrol engines)								н								щ			
Fuel filter (diesel engine)				œ				æ				œ				щ			
Water sediment accumulator (diesel engine)	—	—	—	—	—	—	—	—	1		-	—	_	_	_	_	_	_	_

ſ œ ſ

Inspect valve clearance using a thickness gauge and adjust clearances if necessary (Adjustment requires additional time).

\_

c

Check that the radiator and condenser are not blocked with leaves, dirt, or insects, and the hose connections for installation condition Inspect tappet noise and engine vibration at idle and adjust clearances if necessary (Adjustment requires additional time) and corrosion. N

Replace the engine coolant initially at 96 months or 160,000 km (whichever occurs first), then every 48 months or 80,000 km (whichever occurs first). Use Genuine Toyota Super Long Life Coolant (SLLC) or a similar high quality ethylene glycof based non-silicate, Coolant with long-life hybrid organic acid technology consists of the combination of low phosphates and organic acids. non-amine, non-nitrite, and non-borate coolant with long-life hybrid organic acid technology. 4

### Section 2 **Toyota Maintenance Schedule**

ſ \_

MAINTENANCE SCHEDULE																			
(Months or odometer reading, months 6	42	18	24	30	36	42	48	54	60	99	72	78	84	90	. 96	102	96 102 108 114 120	14 1	20
whichever occurs first) km x 1,000 10	20	30	40	50	09	70	8	6	100	110	120	130	140	150	160	170	<b>90</b> 100 <b>110</b> 120 <b>130</b> 140 <b>150</b> 160 <b>170</b> 180 <b>190</b> 200	90 2	00
Fuel System continued																			
Air flow meter (diesel engine)					U						U						U		
Engine air cleaner filter (diesel engine) <sup>5</sup>	-	£	-	-	œ	-	-	œ	-	-	œ	—	-	œ	-	-	œ	_	_
Engine air cleaner filter (petrol engines)	-		Ē		-		œ		-		œ		_		œ		_		Ē
Diesel smoke (diesel engine)			-				-				-				-				_
Fuel tank cap, fuel lines and connections (diesel engine)			-				-		-		-		—		_		_		_
Fuel tank cap, fuel lines, connections																			
and fuel vapour control valve			-				-		_		_		-		_		_		_
Charcoal canister (petrol engines)							-				-				-				_
Chassis and Body																			
Brake pedal and parking brake	-		-		-		-		-		-		-		-		_		_
Park brake linings and drums			-				₹				-				—				_
Brake pads and discs	-	-	-	-	-	H	7	-	_	-	_	—	_	_	—	—	_	_	_
Brake fluid	-	—	£	-	-	-	æ	$\mathbf{f}$	-	-	œ	—	_	_	œ	_	_	_	ſ
Clutch fluid (M/T)	-	-	-	-	-	-		P	_	-	-	—	_	_	—	—	_	_	_
Brake pipes and hoses	-		-		-		-		Ę		-		_		—		_		_
Vacuum pump for brake booster (diesel engine) <sup>6</sup>																			_
Power steering fluid	-	-	-	-	-	-	-	_	-	-	-	-	_	_	—	—	_	_	_
Steering wheel and linkage	-		-		-		—		_				_		_		_		_
Lubricate propeller shaft			-		_	_	_	_	_	_		2	4	_	_	L	_	_	_
Tighten propeller shaft bolts	Г	Г	F	⊢	⊢	⊢	⊢	⊢	г	н	F	F	÷	F	Т	F	T	⊢	F
Drive shaft boots (4X4 models)	-	-	-	-	-	—	-	-	_	-	-			_	_	_	_	_	_
<ul> <li>Inspect every 3 months / 5000 km.</li> <li>Replace the blades with new ones. Never reuse the blades.</li> </ul>	e the	blad	es.									•							

### Section 2 Toyota Maintenance Schedule

Section 2-6

Ě
Ξ
1
5
/20
60
õ

Щ
ğ
븼
ŝ
<u>Ы</u>
AN
Ш
Ξ
Ā

monthe		10	18 0	24 3	30 3	36 42	48	54	60	99	72	78	84	00		102	96 102 108 114 120	14	20
											!								
		2 2	500	40 0		2	8	20				2	<u></u>	De	20	2		2 C	3
Chassis and Body (continued)																			
Suspension ball joints and dust covers	_			_	-		-		-		-		-		_		-		_
Automatic transmission fluid							-				-				—				_
Manual transmission oil				_			-				-				—				_
Transfer oil (4X4 models)				_			-				-				—				_
Front differential oil (4X4 models)				£	_		£		-		œ		-		œ		-		£
Rear differential oil		6	-	ш			£		-		œ		-		œ		-		£
Front and rear suspensions (4X2 models)							-				-				-				_
Front and rear suspensions (4X4 models)	_	_		2			-		-		-		-		—		—		_
Bolts and nuts on chassis and body $^7$									F										⊢
Accessory items <sup>8</sup>	_		_				-	-	-	-	-	-	-	-	-	-	-	_	_
Tyres and inflation pressures	_		_	_		7		-	-	-	-	-	-	-	—	—	-	_	_
Rotate wheels	_		_	_	_	-		-	-	-	-	-	-	-	-	-	-	_	_
Balance front wheels	_		_	_	_	-		F	-	-	-	-	-	-	-	-	-	_	_
Lights, horns, wipers and washers	_		_	_	-	-		-	-	-	-	-	-	-	-	-	—	_	_
Seatbelt, webbing condition, buckle and retractor mechanism operation				_	_	—	-			-	-	—	-	—	—	—	_	_	_
Air conditioner filter	_		_	_	ш	— Ж	-	-	7		£	—	-	—	—	_	œ	_	_
Air conditioner, including refrigerant level	_			_	-		-		)-		٩		-		—		—		_
Road Test																			
Road Test Vehicle			_			-	—	-	-	-			7	-	—	-	-	_	_
<sup>7</sup> For seat mounting bolts. front and rear suspension retaining bolts.	lsion	reta	ininc	a bolt	ŝ								$\langle \rangle$						
<sup>8</sup> Visual inspection of towbar bullbar and nudge bar.	bar		,	- -															

ШS	
	•
VICE	
SER	
NCE	
ENAI	
INT	
2	

(Months or odometer res	iding,		months 6 12 18	9	42	0	24	30	36 42	2 48	54	09		<mark>66</mark> 72	78	84	<b>78</b> 84 90 96	96 1	02 1	102 108 114 120	4 12	0
whichever occurs first)		μ¥	cm x 1,000	10 20 30	20	30	6	00	40 50 60 70	0 80	96	<b>90 100 110 120 130 140 150 160 170 180 190 200</b>	110	120	130	140	50 1	60 1	70 1	80 19	90 20	0
	i			(																		

## Maintenance Service Times for Normal Conditions


TGN16 M/T	1.1 1.2 1.1 1.8 1.1 1.2 1.1 1.9 1.1 1.2 1.1 1.8 1.1 1.1 1.1 2.4 1.1 1.2 1.1 1.8	1.2	1.1	1.8	1.1	2		6.	 	5 1	 	<del>1</del>	 	 	N T.	4 1.	1.5	1.1	1.8	
TGN16 A/T	11         1.2         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.1         1.2         1.2         1.2         1.2         1.2         1.2 <th1.2< th=""> <th1.2< th=""> <th1.2< th=""></th1.2<></th1.2<></th1.2<>	1.2	1.1	1.8	1.1	1.2	1.1	1.9	۲.	5 1	т. Т.	- 8	т. Т.	 	1.	4 1.	1.5	1.1	1.8	
GGN15 M/T	1.1 1.2 1.1 1.9 1.1 1.2 1.1 2.1 1.1 1.3 1.1 1.9 1.1 1.2 1.1 2.5 1.1 1.2 1.1 1.9	4.2	1.1	1.9	1.1	N.	1.1	2.1	т.	.3 1	т. Т.	- 10	т. Т.	5	.1 .1	5 1.	1.5	1.1	1.9	
GGN15 A/T	1.1	1.1 1.2 1.1 1.9 1.1 1.2 1.1 2.0 1.1 1.3 1.1 1.9 1.1 1.2 1.1 2.4 1.1 1.2 1.1 1.9 1.1 1.9	1.1	1.9	1.1	1.2	1.1	2.0 1	1 1	.3 1	1	.9 1	1 1	2	1 2.	4 1.	1 1.2	1.1	1.9	
KUN16 M/T	1.3	13 1,4 1,8 2.7 1.3 1,4 1.3 2.8 1.3 1.5 1.3 2.7 1.3 1.4 1.9 3.2 1.3 1.4 1.3 2.7	1.3	2.7	1.3	4.1	1.3	2.8	<u>с</u>	5.1	3	.7 1	<u>с</u>	4.	<u>о</u>	2	3 1.4	1.0	2.7	
GGN25 M/T	1.2	<b>1.2 4.4 1.2 2.3 1.2 1.4 1.2 2.4 1.2 1.5 1.2 2.3 1.2 1.4 1.2 2.8 1.2 1.4 1.2 2.3</b>	1.2	2.3	1.2	1.4	1.2	2.4 1	-2 1	.5 1	2 2	.3 1	2 1	4 1	2	8 1.	2 1. <sup>2</sup>	1.2	2.3	
GGN25 A/T	1.2	<b>1.2</b> 1.4 <b>1.2</b> 2.3 <b>1.2</b> 1.4 <b>1.2</b> 2.4 <b>1.2</b> 1.5 <b>1.2</b> 2.3 <b>1.2</b> 1.4 <b>1.2</b> 2.8 <b>1.2</b> 1.4 <b>1.2</b> 2.3	1.2	2.3	1.2	1.4	1.2	2.4 1	-2 1	.5 1	2 2	3 1	21	4 1.	2 2	8 1.	2 1.4	1.2	2.3	
KUN26 M/T	1.3	<b>1.3 1.5 1.3 2.9 1.3 1.5 1.3 2.9 1.3 1.6 1.2 2.9 1.3 1.5 2.4 3.3 1.3 1.4 1.3 2.9</b>	1.3	2.9	1.3	1.5	1.3	2.9 1	.3	.6 1	2 2	9 1	3 1	5 2	4 3.	3 1.5	3 1.4	1.3	2.9	
KUN26 A/T	1.3	1.3 1.5 1.3 2.9 1.3 1.5 1.3 2.9 1.3 1.6 1.2 2.9 1.3 1.5 2.4 3.3 1.3 1.5 1.3 2.9	1.3	2.9	1.3	ιΩ Γ	1.3	2.9 1	ю. Т	.6	2	- <u>-</u>	с. Т	5	.4 3.	0.1	3.1.5	1.0	2.9	_

replace parts as identified during the maintenance operation. Time for valve clearance inspection is included at the appropriate services, The times above give the recommended time in hours to perform a normal service. Additional time maybe required to correct items or however additional time will be required if adjustment is needed.

Ask your Service Advisor for the time to perform any additional maintenance.

JCT





of the second se




H1       Inspect drive belts       Inspect value belts         Inspect battery       Inspect drive belts       Inspect suspension validitions and dust covers         Inspect brake page       Inspect drive belts       Inspect suspension validitions and dust covers         Inspect brake page       Inspect drive belts       Inspect suspension validitions and dust covers         Inspect brake page       Inspect brake page       Inspect drive suspension validitions         Inspect brake page       Inspect brake page       Inspect drive suspension validitions         Inspect brake       Inspect drive suspension       Inspect drive suspension         Inspect brake       Inspect drive suspension       Inspect drive suspension         Inspect brake       Inspect drive suspension       Inspect drive dust drive drive dust drive dust drive dust drive drive dust drive drive dest drive drive drive dest drive drite drive drive drite drive drive drive drive						
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	tion	that ice yyota rts			•	<u> </u>
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	ifica	nfirm Servi he Tc				
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	e Ver	u cor ised ts of t enuin	leted		□ Inspect external lights	□ Tighten propeller shaft bolts
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	ntre	n yo thor oeci	duuc		H1	
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	ပီ	forr a Au II as	en ci			□ Inspect suspension ball
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	vice	this yyota at a, ng 7	bee	i	1 2	
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	Serv	oing a Tc nd th usi	Jave			(4X4 models)
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	ta 9	tamp are e ar vice				□ Inspect rear differential oil
Output       parking brake       Inspect brake pads and discs         Inspect brake fluid       Inspect brake fluid       Inspect brake pipes and hoses         Inspect clutch fluid (M/T)       Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and ratractor mechanism operation       Rotate wheels and balance front wheels         Inspect arc condition, buckle and retractor mechanism operation       Inspect air conditioner filter       Fill engine oil         Inspect arc condition greingerant level       Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Inspect steering linkage       Inspect steering linkage	oyo	By s you centr		į		H3
Unspect black indid       Inspect black indid         Inspect black indid       Inspect black indid         Inspect black indid       Inspect black indid         Inspect cluch fluid (M/T)       Inspect brack pipes and hoses         Inspect power steering fluid       Inspect front and rear suspensions (4X4 models)         Inspect steering wheel       Inspect front and rear suspensions (4X4 models)         Inspect internal lights, horns, wipers and washers       Inspect seatbelt, webbing condition, buckle and retractor mechanism operation         Inspect air conditioner, including refrigerant level       H4         Inspect air conditioner, including refrigerant level       Fill engine oil         Inspect exhaust pipes and mountings       Inspect steering linkage         Inspect steering linkage       Lubricate propeller shaft					parking brake	
Lubricate propeller shaft	first	ny	:			
Lubricate propeller shaft	curs	or a				hoses
Lubricate propeller shaft	er oc	d fé		ļ		Inspect front and rear suspensions (4X4 models)
Lubricate propeller shaft	chev	Serv				
Lubricate propeller shaft	(whi	che				1
Lubricate propeller shaft	ord	horis een			□ Inspect seatbelt, webbing	
Lubricate propeller shaft	eco	Autl as b	Ë	į		H4
Lubricate propeller shaft	е Н	/ota e ha ns.	Y			-
Lubricate propeller shaft	anc	hicle bicle				Check fluid levels
Lubricate propeller shaft	ten	by a ve				
Lubricate propeller shaft	lain	ted The Ce o			H2	□ Final inspection
Lubricate propeller shaft	צ ב	nple arts. servi			-	
Lubricate propeller shaft	kr					□ Road lest Vehicle
Lubricate propeller shaft	8	een nuime actu				
Let us the service propeller shaft     Let us the service of	20	as b Ger anuf		Ì		
month ng Toy via Te:	ר סר	te hi ota g mi			Lupricate propeller shaft	
	onth	ervic Toy ndin		 		
		This se using outstar	Date:			
Da out 17	10	LT Su OU	õ			

I

i

Not FOR REPRODUCTION







NOT FOR REPRODUCTION



Maintenance for Normal Operating Conditions Tovota Service Centre Verification By stamping this form you confirm that Tovota Authorised Service Parts **IMPORTANT:** Check the Toyota on-line system for any outstanding manufacturer service campaigns. Centre and that all aspects of the Genuine □ Inspect external lights Inspect accessory items Inspect internal lights. H1 Toyota ( horns, wipers and washers □ Inspect drive belts been c □ Inspect seatbelt, webbing Inspect cooling and heater condition, buckle and Service using retractor mechanism system have operation areaī □ Inspect engine coolant (Tovota Genuine SLLC) □ Inspect air conditioner filter □ Inspect batterv Inspect air conditioner, including refrigerant level Inspect water sediment accumulator (diesel engine) H<sub>2</sub> month or 40,000 km Maintenance Record (whichever occurs first) □ Inspect engine air cleaner any This service has been completed by a Tovota Authorised Service Centre 🗅 Drain engine oil filter (diesel engine) Replace engine oil filter Replace engine air þ cleaner filter (petrol Inspect exhaust pipes and been checked engines) mountings □ Inspect fuel tank cap, fuel □ Inspect steering linkage lines and connections □ Lubricate propeller shaft (diesel engine) □ Tighten propeller shaft bolts □ Inspect fuel tank cap, fuel □ Inspect drive shaft boots lines, connections and fuel (4X4 models) ж Ж The vehicle has vapour control valve □ Inspect suspension ball (petrol engines) ice campaigns ioints and dust covers Inspect charcoal canister Inspect manual (petrol engines) transmission oil Inspect brake pedal and □ Inspect transfer oil parking brake (4X4 models) Drain brake fluid and fit Parts. outstanding manufacturer servi □ Replace front differential refiller oil (4X4 models)  $\Box$  Inspect clutch fluid (M/T) □ Replace rear differential Genuine □ Inspect power steering fluid oil □ Inspect steering wheel continued overleaf Toyota using Date: 24







Not FOR REPRODUCTION




	E E	at ita			Maintenance for
	Toyota Service Centre Verification	By stamping this form you confirm that you are a Toyota Authorised Service Centre and that all aspects of the Toyota	e Parts		IMPORTANT: Chec outst
	e Veri	By stamping this form you confirm t you are a Toyota Authorised Servi Sentre and that all aspects of the To	Service using Toyota Genuine I have been completed.		Inspect external li
	ntr	n yc thoi pec	ta G omp		H1
	ပီ	forr i Au I as,	oyo n c		□ Inspect drive belt
	ice	this yota at al	ng Ti bee		□ Inspect battery
	PL	ing a To d thé	usir ave		Inspect water sec accumulator (dies
	s S	ampin are a e and	ice hi		□ Clean air flow me
	/ota	3y sta you a entre	<i>ierv</i>		(diesel engine)
	þ	D VI	0)		Replace engine
	ît)				cleaner filter (diesel engine)
	sfirs	any	:		Inspect engine ai
	scura	e Cer for a			filter (petrol engin
	er oo	d C e			Inspect brake per parking brake
	heve	cke			□ Inspect brake flui
	whic	che.			□ Inspect clutch flu
	σ	en e			□ Inspect power ste
	20	bee			□ Inspect steering v
	Be	a Au as	Km:		Inspect accessor
	e e	ed by a Toyota Authorised Service The vehicle has been checked ce campaigns.	<u> </u>		Inspect internal light horns, wipers and
	ano	hicl hicl			<ul> <li>Inspect seatbelt,</li> </ul>
	en	ve ve	. 🔨		condition, buckle
	aint	e ci			retractor mechan operation
	Ĕ	s. :		i i	□ Replace air con
	Ē	omp Parl Fr se			filter
	8	n c ne ture			□ Inspect air condit
	ŏ	ee enui ufac			including refrigera
	r 6	ervice has been comple Toyota Genuine Parts nding manufacturer serv			H2
	0	ota Ig m			Drain engine oil
	ontl	Toy			□ Replace engine □ Inspect exhaust p
×	36 month or 60,000 km Maintenance Record (whichever occurs first)	This service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts. The vehicle has been checked for any outstanding manufacturer service campaigns.	Date:		mountings
3 - Hill	36	usi	Da		
6/09/2013 - Hilux	L	ļ		1 I	
16/					

1

1 i

tenance for Normal Ope	rating Conditions
RTANT: Check the Toyota c	<u> </u>
spect external lights	<ul> <li>Inspect steering linkage</li> <li>Lubricate propeller shaft</li> </ul>
spect drive belts spect battery spect water sediment cumulator (diesel engine) ean air flow meter esel engine) eplace engine air eaner filter iesel engine) spect engine air cleaner er (petrol engines) spect brake pedal and rking brake spect brake fluid spect clutch fluid (M/T) spect power steering fluid	<ul> <li>Tighten propeller shaft bolts</li> <li>Inspect drive shaft boots (4X4 models)</li> <li>Inspect suspension ball joints and dust covers</li> <li>Inspect front differential oil (4X4 models)</li> <li>Inspect rear differential oil</li> <li>H3</li> <li>Inspect brake pads and discs</li> <li>Inspect brake pipes and hoses</li> <li>Inspect front and rear suspensions (4X4 models)</li> <li>Inspect tyres and inflation</li> </ul>
spect steering wheel spect accessory items spect internal lights,	pressures  Rotate wheels and balance front wheels
rns, wipers and washers	H4
spect seatbelt, webbing ndition, buckle and gractor mechanism peration	<ul> <li>Fill engine oil</li> <li>Check fluid levels</li> </ul>
eplace air conditioner	H5
ter	□ Final inspection
spect air conditioner, cluding refrigerant level	Road Test Vehicle
ain engine oil e <b>place engine oil filter</b> spect exhaust pipes and	


NoticeReproduction




NoticeReproduction

n	at Pita	] {	Maintenance for Normal O	perating Conditions
ificatio	nfirm the Service he Toyo ie Parts		IMPORTANT: Check the Toyota outstanding man	a on-line system for any nufacturer service campaigns.
st) Toyota Service Centre Verification	By stamping this form you confirm that you are a Toyota Authorised Service Centre and that all aspects of the Toyot Service using Toyota Genuine Parts have been completed.		<ul> <li>Inspect external lights</li> <li>H1         <ul> <li>Inspect drive belts</li> <li>Inspect cooling and heater system</li> <li>Inspect engine coolant (Toyota Genuine SLLC)</li> <li>Inspect battery</li> <li>Inspect water sediment accumulator (diesel engine)</li> <li>Inspect engine air cleaner</li> </ul> </li> </ul>	<ul> <li>Inspect accessory items</li> <li>Inspect internal lights horns, wipers and washers</li> <li>Inspect seatbelt, webbing condition, buckle and retractor mechanism operation</li> <li>Inspect air conditioner filter</li> <li>Inspect air conditioner, including refrigerant level</li> </ul>
48 month or 80,000 km Maintenance Record (whichever occurs first)	This service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts. The vehicle has been checked for any outstanding manufacturer service campaigns. Date:		<ul> <li>filter (diesel engine)</li> <li>Replace engine air cleaner filter (petrol engines)</li> <li>Inspect fuel tank cap, fuel lines and connections (diesel engine)</li> <li>Inspect fuel tank cap, fuel lines, connections and fuel vapour control valve (petrol engines)</li> <li>Inspect charcoal canister (petrol engines)</li> <li>Inspect brake pedal and parking brake</li> <li>Drain brake fluid and fit refiller</li> <li>Inspect clutch fluid (M/T)</li> <li>Inspect steering wheel</li> </ul>	<ul> <li>Drain engine oil</li> <li>Replace engine oil filter</li> <li>Inspect exhaust pipes and mountings</li> <li>Inspect steering linkage</li> <li>Lubricate propeller shaft</li> <li>Tighten propeller shaft bolts</li> <li>Inspect drive shaft boots (4X4 models)</li> <li>Inspect suspension ball joints and dust covers</li> <li>Inspect manual transmission oil</li> <li>Inspect transfer oil (4X4 models)</li> <li>Replace front differential oil (4X4 models)</li> <li>Replace rear differential oil</li> </ul>
		-         		Section 2-2

T T



Road Test Vehicle



Not FOR REPRODUCTION


L L	at è ota	Maintenance for Normal Ope	erating Conditions
ificatio	nfirm thi Service he Toyc e Parts	IMPORTANT: Check the Toyota coutstanding manuf	on-line system for any acturer service campaigns.
) Ver	u cor ised 's of ti enuin leted	□ Inspect external lights	□ Inspect exhaust pipes and
Toyota Service Centre Verification	By stamping this form you confirm that you are a Toyota Authorised Service Centre and that all aspects of the Toyota Service using Toyota Genuine Parts have been completed.	H1  Inspect drive belts Inspect cooling and heater system Inspect battery Inspect water sediment accumulator (diesel engine) Inspect engine air cleaner filter	<ul> <li>mountings</li> <li>Inspect steering linkage</li> <li>Lubricate propeller shaft</li> <li>Tighten propeller shaft bolts</li> <li>Inspect drive shaft boots (4X4 models)</li> <li>Inspect suspension ball joints and dust covers</li> <li>Inspect front differential oil (4X4 models)</li> </ul>
ccurs first)	• Centre for any	<ul> <li>Inspect fuel tank cap, fuel lines and connections (diesel engine)</li> <li>Inspect fuel tank cap, fuel</li> </ul>	<ul> <li>Inspect rear differential oil</li> <li>Tighten bolts and nuts on chassis and body</li> </ul>
60 month or 100,000 km Maintenance Record (whichever occurs first)	This service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts. The vehicle has been checked for any outstanding manufacturer service campaigns. Date:	<ul> <li>Inspect rule tank cap, rule lines, connections and fuel vapour control valve (petrol engines)</li> <li>Inspect brake pedal and parking brake</li> <li>Inspect brake fluid</li> <li>Inspect clutch fluid (M/T)</li> <li>Inspect power steering fluid</li> <li>Inspect steering wheel</li> <li>Inspect accessory items</li> <li>Inspect internal lights, horns, wipers and washers</li> <li>Inspect seatbelt, webbing condition, buckle and retractor mechanism operation</li> <li>Inspect air conditioner filter</li> <li>Inspect air conditioner, including refrigerant level</li> </ul>	H3         □ Inspect brake pads and discs         □ Inspect brake pipes and hoses         □ Inspect front and rear suspensions (4X4 models)         □ Inspect tyres and inflation pressures         □ Rotate wheels and balance front wheels         H4         □ Fill engine oil         □ Check fluid levels         H5         □ Final inspection
60 mon	This servusing To outstand Date:	H2 Drain engine oil Replace engine oil filter	nuau iesi veniicie

T T

16/09/2013 - Hilux

i


NoticeReproduction




NOTFOR REPRODUCTION

H1       Inspect drive belts       Inspect cooling and heater system       Inspect cooling and heater system         Inspect cooling and heater system       Inspect cooling and heater system       Replace air conditione filter         Inspect battery       Inspect battery       Inspect air conditione filter         Inspect battery       Inspect colleae air flow meter (diesel engine)       Replace air conditione filter         Inspect fuel tank cap, fuel lines and ownections (diesel engine)       Replace engine air cleaner filter       Inspect steering linkage         Inspect fuel tank cap, fuel lines, connections (diesel engine)       Inspect there hand ownections (diesel engine)       Inspect steering linkage         Inspect fuel tank cap, fuel lines, connections and fuel wapour control valve (petrol engines)       Inspect tarcate propeller shaft         Inspect batter collence       Inspect tarcate propeller shaft       Inspect drive shaft boots (4X4 models)         Inspect charcoal canister (petrol engines)       Inspect tarcate fluid (M/T)       Inspect tarcater oil (4X4 models)         Inspect steering wheel       Inspect tarcater oil (4X4 models)       Replace read differentiol (4X4 models)         Inspect accessory items       Inspect rant differentiol (AX4 models)       Replace read differentiol (4X4 models)         Inspect accessory items       Inspect rant differentiol (AX4 models)       Replace read differentiol (AX4 models)	nc	at è ita	Maintenance for Normal Op	perating Conditions
Ho       accumulator (diesel engine)       H2         Clean air flow meter (diesel engine)       Drain engine oil       Replace engine oil         Replace engine air cleaner filter       Inspect fuel tank cap, fuel lines and connections (diesel engine)       Inspect steering linkage         Inspect fuel tank cap, fuel lines, connections and fuel vapour control valve (petrol engines)       Inspect valtator (diesel engine)       Inspect steering linkage         Inspect fuel tank cap, fuel lines, connections and fuel vapour control valve (petrol engines)       Inspect suspension ball joints and dust covers         Inspect charcoal canister (petrol engines)       Inspect charcoal canister (petrol engines)       Inspect suspension ball joints and dust covers         Inspect prave filler       Inspect clutch fluid (M/T)       Inspect steering fluid         Inspect steering wheel       Inspect steering wheel       Replace rear different oil (4X4 models)         Inspect accessory items       continued over	ificatio	nfirm thu Service he Toyc e Parts		
<b>Z</b>	or 120,000 km Maintenance Record (whichever occurs first)	completed by a Toyota Authorised Service Centre By stamping Parts. The vehicle has been checked for any you are a To recservice campaigns. Km:	H1         Inspect drive belts         Inspect cooling and heater system         Inspect engine coolant (Toyota Genuine SLLC)         Inspect battery         Inspect vater sediment accumulator (diesel engine)         Clean air flow meter (diesel engine)         Replace engine air cleaner filter         Inspect fuel tank cap, fuel lines and connections (diesel engine)         Inspect fuel tank cap, fuel lines, connections and fuel vapour control valve (petrol engines)         Inspect charcoal canister (petrol engines)         Inspect brake pedal and parking brake         Drain brake fluid and fit refiller         Inspect clutch fluid (M/T)         Inspect steering wheel	<ul> <li>horns, wipers and washers</li> <li>Inspect seatbelt webbing condition, buckle and retractor mechanism operation</li> <li>Replace air conditioner filter</li> <li>Inspect air conditioner, including refrigerant level</li> <li>H2</li> <li>Drain engine oil</li> <li>Replace engine oil filter</li> <li>Inspect exhaust pipes and mountings</li> <li>Inspect steering linkage</li> <li>Lubricate propeller shaft</li> <li>Tighten propeller shaft bolts</li> <li>Inspect drive shaft boots (4X4 models)</li> <li>Inspect transfer oil (4X4 models)</li> <li>Replace front differential oil (4X4 models)</li> <li>Replace rear differential</li> </ul>
Section				Section 2-3

I i






NOT FOR REPRODUCTION

n	at ita			Maintenance for Normal Ope	rating Conditions
Toyota Service Centre Verification	By stamping this form you confirm that you are a Toyota Authorised Service Sentre and that all aspects of the Toyot Service using Tovota Genuine Parts			IMPORTANT: Check the Toyota o outstanding manufa	n-line system for any acturer service campaigns.
e Veri	you confii orised Se ects of the Genuine	completed.		□ Inspect external lights	$\rightarrow$
ntr	orm you Authorise aspects vota Ger	duic	i	H1	H2
S	forr Au I as	U C	!	Inspect drive belts	Drain engine oil
Ce	this yota at al	peen (		□ Inspect cooling and heater	□ Replace engine oil filter
erv	By stamping this form y you are a Toyota Auth Centre and that all aspe Service using Tovota	have	ļ	system Inspect battery	Inspect exhaust pipes and mountings
a	are and ice	4		□ Inspect water sediment	□ Inspect steering linkage
yot	/ sta ou a ntre Serv		ļ	accumulator (diesel engine)	Lubricate propeller shaft
Ê	Co B			□ Inspect engine air cleaner filter (diesel engine)	Tighten propeller shaft bolts
_			į	□ Inspect engine air cleaner	Inspect drive shaft boots (4X4 models)
first	any	:		filter (petrol engines)	<ul> <li>Inspect suspension ball</li> </ul>
curs	or Ce		i i	□ Inspect fuel tank cap, fuel	joints and dust covers
(whichever occurs first)	ervice ked 1			lines and connections (diesel engine) □ Inspect fuel tank cap, fuel	<ul> <li>Inspect front differential oil (4X4 models)</li> </ul>
hiche	d Se shec			lines, connections and fuel	□ Inspect rear differential oil
<u>د</u>	en o		i	vapour control valve (petrol engines)	H3
ecord	ed by a Toyota Authorised Service Centre The vehicle has been checked for any e campaigns.	: :	   	<ul> <li>Inspect brake pedal and parking brake</li> </ul>	Inspect brake pads and discs
ce R	yota le ha jns.	Km:		Inspect brake fluid	Inspect brake pipes and hoses
enan	lpe pe			<ul> <li>Inspect clutch fluid (M/T)</li> <li>Inspect power steering fluid</li> </ul>	<ul> <li>Inspect front and rear suspensions (4X4 models)</li> </ul>
Aaint	ted b The ice ca			<ul> <li>Inspect steering wheel</li> <li>Inspect accessory items</li> </ul>	<ul> <li>Inspect tyres and inflation pressures</li> </ul>
or 140,000 km Maintenance Record	ce has been completed by yota Genuine Parts. The v ng manufacturer service carr			<ul> <li>Inspect internal lights, horns, wipers and washers</li> </ul>	Rotate wheels and balance front wheels
000	ne ne sture		ļ	Inspect seatbelt, webbing condition, buckle and	H4
0,0	bee enui ufac			retractor mechanism	Fill engine oil
r 12	has I Ge nan		Ì	operation	□ Check fluid levels
о Ч	yota yota ng r			<ul> <li>Inspect air conditioner filter</li> <li>Inspect air conditioner,</li> </ul>	H5
	This service has been com using Toyota Genuine Par outstanding manufacturer se	:		including refrigerant level	□ Final inspection
84 mont	his : sing utsta	Date:			
õ	0 1 1				□ Road Test Vehicle
					Section 2-3

T T

Section 2-35

NOTFOR REPRODUCTION




16/09/2013 - Hilux


2

NOTFOR REPRODUCTION

Maintenance for Normal Operating Conditions Tovota Service Centre Verification By stamping this form you confirm that Toyota Authorised Service Parts **IMPORTANT:** Check the Toyota on-line system for any outstanding manufacturer service campaigns. Centre and that all aspects of the Genuine been completed. □ Inspect external lights Inspect accessory items Inspect internal lights. H1 Toyota ( horns, wipers and washers □ Inspect drive belts □ Inspect seatbelt, webbing □ Inspect cooling and heater condition, buckle and Service using system retractor mechanism have operation you are a □ Replace engine coolant (Tovota Genuine SLLC) □ Inspect air conditioner filter □ Inspect batterv Inspect air conditioner, including refrigerant level Inspect water sediment accumulator (diesel engine) H<sub>2</sub> □ Inspect engine air cleaner 96 month or 160,000 km Maintenance Record (whichever occurs first) any This service has been completed by a Tovota Authorised Service Centre 🗅 Drain engine oil filter (diesel engine) Replace engine oil filter Replace engine air þ cleaner filter (petrol Inspect exhaust pipes and been checked engines) mountings □ Inspect fuel tank cap, fuel □ Inspect steering linkage lines and connections □ Lubricate propeller shaft (diesel engine) □ Tighten propeller shaft bolts □ Inspect fuel tank cap, fuel □ Inspect drive shaft boots lines, connections and fuel (4X4 models) The vehicle has ж Ж vapour control valve □ Inspect suspension ball (petrol engines) ice campaigns ioints and dust covers Inspect charcoal canister Inspect manual (petrol engines) transmission oil Inspect brake pedal and □ Inspect transfer oil parking brake (4X4 models) Drain brake fluid and fit Parts. outstanding manufacturer servi □ Replace front differential refiller oil (4X4 models)  $\Box$  Inspect clutch fluid (M/T) □ Replace rear differential Genuine □ Inspect power steering fluid oil □ Inspect steering wheel continued overleaf Toyota using . Date:




Road Test Vehicle



NoticeReproduction


Maintenance for Normal Operating Conditions Tovota Service Centre Verification By stamping this form you confirm that Toyota Authorised Service Parts **IMPORTANT:** Check the Toyota on-line system for any outstanding manufacturer service campaigns. Centre and that all aspects of the Genuine □ Inspect external lights **H1** H2 Toyota ( Drain engine oil □ Inspect drive belts been c □ Inspect cooling and heater Replace engine oil filter Service using system □ Inspect exhaust pipes and have areaī □ Inspect battery mountings Inspect water sediment □ Inspect steering linkage accumulator (diesel engine) Lubricate propeller shaft Clean air flow meter (diesel Tighten propeller shaft bolts engine) Inspect drive shaft boots □ Replace engine air (4X4 models) 108 month or 180,000 km Maintenance Record (whichever occurs first) any This service has been completed by a Toyota Authorised Service Centre cleaner filter (diesel engine) □ Inspect suspension ball þ joints and dust covers □ Inspect engine air cleaner filter (petrol engine) Inspect front differential oil been checked (4X4 models) □ Inspect fuel tank cap, fuel lines and connections Inspect rear differential oil (diesel engine) H<sub>3</sub> □ Inspect fuel tank cap, fuel Inspect brake pads and lines, connections and fuel discs vapour control valve (petrol ж Ж The vehicle has engines) □ Inspect brake pipes and ice campaigns Inspect brake pedal and hoses parking brake Inspect front and rear Inspect brake fluid suspensions (4X4 models)  $\Box$  Inspect clutch fluid (M/T) □ Inspect tyres and inflation pressures Inspect power steering fluid Parts. outstanding manufacturer servi □ Inspect steering wheel Rotate wheels and balance front wheels □ Inspect accessory items Genuine □ Inspect internal lights, H4 horns, wipers and washers □ Fill engine oil □ Inspect seatbelt, webbing □ Check fluid levels condition, buckle and Toyota retractor mechanism H5 operation Final inspection □ Replace air conditioner using filter Date: □ Inspect air conditioner. Road Test Vehicle including refrigerant level Section 2-43 Notion



16/09/2013 - Hilux

Not FOR REPRODUCTION

Maintenance for Normal Operating Conditions Tovota Service Centre Verification By stamping this form you confirm that Toyota Authorised Service Parts **IMPORTANT:** Check the Toyota on-line system for any outstanding manufacturer service campaigns. Centre and that all aspects of the Genuine been completed. □ Inspect external lights Inspect accessory items Inspect internal lights. H1 Toyota ( horns, wipers and washers □ Inspect drive belts □ Inspect seatbelt, webbing □ Inspect cooling and heater condition, buckle and Service using system retractor mechanism have operation vou are a □ Inspect engine coolant (Tovota Genuine SLLC) □ Inspect air conditioner filter □ Inspect batterv Inspect air conditioner, including refrigerant level □ Inspect water sediment accumulator (diesel engine) H<sub>2</sub> □ Inspect engine air cleaner 120 month or 200,000 km Maintenance Record (whichever occurs first) any This service has been completed by a Toyota Authorised Service Centre 🗅 Drain engine oil filter (diesel engine) Replace engine oil filter Replace engine air þ cleaner filter Inspect exhaust pipes and been checked (petrol engines) mountings □ Inspect fuel tank cap, fuel □ Inspect steering linkage lines and connections □ Lubricate propeller shaft (diesel engine) □ Tighten propeller shaft bolts □ Inspect fuel tank cap, fuel □ Inspect drive shaft boots lines, connections and fuel (4X4 models) The vehicle has ж Ж vapour control valve □ Inspect suspension ball (petrol engines) ice campaigns ioints and dust covers Inspect charcoal canister Inspect manual (petrol engines) transmission oil Inspect brake pedal and □ Inspect transfer oil parking brake (4X4 models) Drain brake fluid and fit Parts. outstanding manufacturer servi □ Replace front differential refiller oil (4X4 models)  $\Box$  Inspect clutch fluid (M/T) □ Replace rear differential Genuine □ Inspect vacuum pump for oil brake booster □ Tighten bolts and nuts on (diesel engine) chassis and body □ Inspect power steering fluid Toyota continued overleaf □ Inspect steering wheel using . Date:



## **Additional Service Requirements**

How and where you drive your Toyota determines the service requirements as much as the time or distance travelled. For example, if you are regularly towing heavy loads, driving in rough conditions or simply performing lots of stop-start city driving, then more regular maintenance is necessary. Discuss the typical sort of driving you'll be doing with your Toyota Service Advisor, they will advise how best to maintain your vehicle to keep it performing at its best.

If you consistently put your vehicle through extreme conditions or drive in harsh environments, then your vehicle will require the extra maintenance as described in Additional Service Schedule.

## These conditions could include any or all of the following:

- Driving on rough, muddy or snow-melted roads
- Driving on dusty roads
- · Towing trailers, caravans or boats, or using a car top carrier
- · Repeated short trips, less than 8 kilometres, in freezing conditions.
- Extensive idling and or low speed driving for long distance, such as taxis, couriers, etc.
- Stop-start city or suburban driving
- Continuous high speed driving (at speeds greater than 140 km/h) for over 2 hours.

## **ADDITIONAL MAINTENANCE SCHEDULE**

Section 2-50

AUDILIONAL MAIN LENANCE SCHEDULE	Ľ																		
(Months or odometer reading, months	ო	9	6	12	15	18 2	21 2	24 27	7 30	33	36	39	42	45	48	51	54	57	60
whichever occurs first) km x 1,000	S	10	15	20	25	30	35 4	40 4	45 50	55	60	65	2	75	80	85	90	95	100
Engine																			
Timing belt and timing belt pulley (diesel engine) <sup>9</sup>						_					-						—		
Timing belt cover (diesel engine) <sup>9</sup>						U					C						υ		
Engine oil and filter	ш		œ		£	-	£	£	~	£		£		œ		œ		œ	
Fuel System																			
Engine air cleaner filter (dusty road) 1GR-FE & 2TR-FE (petrol engines)	)		6			_			_				-				—		
1KD-FTV (diesel engine)	lnsp	ect e	very	Inspect every 1.5 months / 2 500 km and Replace every 18 months / 30 000 km.	nontl	ns / 2	500	km	and	Repla	ce e	very	18 n	Jonth	IS / 3	00 0	0 km		
Chassis and Body																			
Brake linings and drums		_				_			-		-		-				-		_
Brake pads and discs	-		-				_			-		-		-		-		-	
Brake pipes and hoses		-							-				-				-		
Steering wheel and linkage		-							-				-				-		
Tightening bolts for propeller shaft	⊢		⊢		⊢					⊢		⊢		⊢		⊢		⊢	
Drive shaft boots	—		—							-		—		—		—		—	
Lubricate propeller shaft	_		_		_							_		_		_		_	
Suspension ball joints and dust covers		-				_							-				-		
Automatic transmission fluid															œ				
Manual & Transfer case								œ							œ				
Front and rear suspensions (4X2 models)				_								C							_
Front and rear suspensions (4X4 models)		-				_			_								—		
Bolts and nuts on chassis and body $^7$									F										
<sup>7</sup> For seat mounting bolts, front and rear suspension retaining bolts. <sup>8</sup> For diesel engine vehicles repeatedly operating in extremely dusty conditions, especially off-road operations such as mining, construction or exploration.	oensid tting i	on re n ext	teme	g bol ly du:	ts. sty c	onditi	ons,	espe	scially	off-r	oad o	opera	ations	SUIC	as	minin	ġ		

## Section 2 Additional Maintenance Service Schedule

# ADDITIONAL MAINTENANCE SCHEDULE

	1																	
(Months or odometer reading, months 3 6 9 12 15 18 21 24 27 30 33 36 39 42 45 48 51 54 57 60	e	9	б	12	5	10	1 24	27	30	33	36	39	42	45	48	51 5	4	60
whichever occurs first) km x 1,000 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100	LO	0	15	20 2	25 3	0 3	5	45	50	55	60	65	70	75	80 8	35 9	i6 0	100
Chassis and Body (continued)																		
Accessory items <sup>8</sup>	—		_		_	-		-		-		-		_		_	-	
Lights, horns, wipers and washers	-		_		_	-		-		-		-		_		_	-	
Seatbelt, webbing condition, buckle			_		_	-		-		-		-		_		_	-	
and retractor mechanism operation																		
Air conditioner filter			_		_	-		-		-		-		_		œ	~	
Road Test																		
Road Test Vehicle	-		-		_	-		-		-		-		_		_	-	
<sup>8</sup> Visual inspection of towbar, bullbar and nudge bar.	ge ba			C														

# ADDITIONAL MAINTENANCE SERVICE TIMES

ADDITIONAL MAINTENANOL SERVICE TIMES			2			X															
(Months or odometer reading,	months 3 6 9 12 15 18 21 24 27 30 33 36 39 42 45 48 51 54 57	ო	9	6	12	15	18	21	24	27	30	33	36	39	42	45	48	<u>1</u>	54		60
whichever occurs first)	km x 1,000 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85	S	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85	6	95 1	100
Maintenance Service Times for Severe Conditions	s for Severe	Co	nditi	ons																	
TGN16 M/T		0.3	0.3	0.3	0.2	0.3	0.3	0.3 0.3 0.3 0.2 0.3 0.3 0.3 0.1 0.3 0.4 0.3 0.2 0.3 0.3 0.3 0.1 0.3 0.3 0.3 0.3 0.2	5	0.3	0.4	0.3	0.2	0.3	0.3	0.3	0.1	0.3	0.3	0.3	2.2
TGN16 A/T		0.3	0.3	0.3	0.2	0.3	0.3	0.3 0.3 0.3 0.2 0.3 0.3 0.3 0.0 0.3 0.4 0.3 0.2 0.3 0.3 0.3 0.1 0.3 0.3 0.3 0.3	0.0	0.3	0.4	0.3	0.2	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.2
GGN15 M/T		0.3	0.3	0.3	0.2	0.3	0.3	0.3 0.3 0.3 0.2 0.3 0.3 0.3 0.1 0.3 0.4 0.3 0.2 0.3 0.3 0.1 0.3 0.3 0.3	0.1	0.3	0.4	0.3	0.2	0.3	0.3	0.3	0.1	0.3	0.3	0.3	0.2
GGN15 A/T		0.3	0.3	0.3	0.2	0.3	0.3	<b>0.3 0.3 0.3 0.3 0.3 0.3 0.0 0.3 0.4 0.3 0.2 0.3 0.3 0.3 0.3 0.3 0.3 0.3</b>	0.0	0.3	0.4	0.3	0.2	0.3	0.3 (	0.3	0.3 (	0.3	0.3 (	0.3 (	0.2
KUN16 M/T		0.3	0.2	0.3	0.2	0.3	0.210	0.3 0.2 0.3 0.2 0.3 0.2 <sup>10</sup> 0.3 0.1 0.3 0.3 0.3 0.2 <sup>10</sup> 0.3 0.2 0.3 0.1 0.3 0.2 <sup>10</sup>	0.1	0.3	0.3	0.3	).2 <sup>10</sup>	0.3	0.2	0.3	0.1	0.3	.2 <sup>10</sup> (	0.3	0.2
GGN25 M/T		0.4	0.3	0.4	0.2	0.4	0.3	0.4         0.3         0.4         0.3         0.4         0.2         0.4         0.4         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3         0.4         0.2         0.4         0.3	0.2	0.4	0.4	0.4	0.2	0.4	0.3 (	0.4	0.2 (	0.4	0.3 (	0.4 (	0.1
GGN25 A/T		0.4	0.3	0.4	0.2	0.4	0.3	0.4 0.3 0.4 0.2 0.4 0.3 0.4 0.0 0.4 0.4 0.4 0.2 0.4 0.3 0.4 0.3 0.4 0.3	0.0	0.4	0.4	0.4	0.2	0.4	0.3 (	0.4	0.3 (	0.4	0.3 (	0.4 (	0.1
KUN26 M/T		0.5	0.3	0.5	0.3	0.5	0.3 <sup>10</sup>	<b>0.5</b> 0.3 <b>0.5</b> 0.3 <b>0.5</b> 0.3 <sup>10</sup> <b>0.5</b> 0.2 <b>0.5</b> 0.4 <b>0.5</b> 0.3 <sup>10</sup> <b>0.5</b> 0.3 <b>0.5</b> 0.2 <b>0.5</b> 0.3 <sup>10</sup> <b>0.5</b>	0.2	0.5	0.4	0.5 (	0.3 <sup>10</sup>	0.5	0.3 (	0.5	0.2	0.5 0	.3 <sup>10</sup> (	.5 (	0.3
KUN26 A/T		0.5	0.3	0.5	0.3	0.5	0.310	<b>0.5</b> 0.3 <b>0.5</b> 0.3 <b>0.5</b> 0.3 <sup>10</sup> <b>0.5</b> 0.1 <b>0.5</b> 0.4 <b>0.5</b> 0.3 <sup>10</sup> <b>0.5</b> 0.3 <b>0.5</b> 0.4 <b>0.5</b> 0.3 <sup>10</sup> <b>0.5</b> 0.3	0.1	0.5	0.4	0.5 (	.3 <sup>10</sup>	0.5	0.3	0.5	0.4 (	0.5 0	.3 <sup>10</sup> (	.5 (	0.3

required to correct items or replace parts as identified during the maintenance operation. Time for valve clearance inspection is included The times above give the recommended time in hours to perform each service over and above a normal service. Additional time maybe at the appropriate services, however additional time will be required if adjustment is needed. Ask your Service Advisor for the time to perform any additional maintenance. <sup>10</sup> For diesel engines, add 0.6 hours for inspection of the timing belt and timing belt pulley and to clean the timing belt cover (for vehicles repeatedly operating in extremely dusty conditions, especially off-road operations such as mining, construction or exploration).

Section 2

### Section 2 Additional Service Record

This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:	This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre using Toyota Genuine Parts:	by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
	] []
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre	by a Toyota Authorised Service Centre
using Toyota Genuine Parts:	using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification

Section 2

# **Additional Service Record**

This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:	This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre using Toyota Genuine Parts:	by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:	This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification

16/09/2013 - Hilux

## Section 2 Additional Service Record

This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:	This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre using Toyota Genuine Parts:	by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
	] []
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre	by a Toyota Authorised Service Centre
using Toyota Genuine Parts:	using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification

Section 2

# **Additional Service Record**

This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:	This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre using Toyota Genuine Parts:	by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:	This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification

16/09/2013 - Hilux

### Section 2 Additional Service Record

This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:	This additional service has been completed by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre using Toyota Genuine Parts:	by a Toyota Authorised Service Centre using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification
	] []
This additional service has been completed	This additional service has been completed
by a Toyota Authorised Service Centre	by a Toyota Authorised Service Centre
using Toyota Genuine Parts:	using Toyota Genuine Parts:
Date:	Date:
Km:	Km:
Toyota Authorised Service Centre Verification	Toyota Authorised Service Centre Verification

ODOMETER CHANGE RECORD
If for some reason you need a new odometer installed, please have your Toyota Dealer verify the date of change and the kilometres travelled in this panel below. Ensure he adds the Dealer stamp too!
Odometer changed at:
km:
Date:
REPK
ODOMETER CHANGE RECORD
If for some reason you need a new odometer installed, please have your Toyota Dealer verify the date of change and the kilometres travelled in this panel below. Ensure he adds the Dealer stamp too!
Odometer changed at:
km:
Date:

NottoRate

Notes

NottoRate

NottoRate



This Warranty and Service book covers Hilux models: TGN16 with 2TR-FE petrol engine, GGN15/25 with 1GR-FE petrol engine, KUN16/26 with 1KD-FTV diesel engine.

ΌΤΑ

( C

Part Number: TSO1130 Issue: 1407-05