

Warranty and Service

LAND CRUISER PRADO



New Vehicle Information Statement

Selling Dealer's Stamp

Selling Dealer's Signature					×,	5
Vehicle Details				J		
Model Name		_ <		 		
Model Code	2		 	 		
Vehicle Identification Number (VIN)	7					
Warranty Commencement DateRegistration Number :						

IMPORTANT NOTICE

In the event that we need to contact you about your Toyota, please notify us if there is any change to name, address or ownership. Contact the Toyota Guest Experience Centre on Freecall 1800 869 682 or visit the Toyota Owner's Portal: www.toyota.com.au/mytoyota to update the ownership information of your vehicle.



A Great Service, Even Better Value

With Toyota Service Advantage (TSA) you're always in safe hands knowing in advance what your service costs will be. You can rest easy because your vehicle will be serviced by Toyota Trained Technicians who know your car inside out and use the most advanced diagnostic equipment along with Toyota Genuine Parts.

Call 1800 Toyota (869 682) for your nearest Toyota Dealer or visit www.toyota.com.au

Toyota Service Advantage makes owning a Toyota so much easier because you pay the same low price from one standard scheduled service to the next. So rather than receiving unwelcome surprises, you know in advance what your servicing costs will be for the period of TSA coverage*.

To confirm your vehicle's eligibility for Toyota Service Advantage visit **www.toyota.com.au/advantage.** You will be able to confirm your vehicle's capped price service costs and the number of services covered. Please keep in mind that each Toyota Service Advantage service has a time / km limit for its redemption.

Maximum payable for standard scheduled servicing (normal operating conditions) for the period of TSA coverage. Excludes Government and Rental vehicles. Contact your Toyota Dealer or go to www.toyota.com.au/advantage for other exclusions and eligibility.

(Toyota Service Adv	antage Capped Price Services
	My Capped Price Service Price is:	My Toyota Service Advantage genuine service due dates are:
	\$	
	Note: Due date is indicative only.	
	Servicing may be required sooner based on kilometres travelled. For more information please refer to Section 2 of this book.	

Pre-delivery Service Maintenance Record

To ensure that your new Toyota is delivered to you in top condition, and that you are familiar with your new vehicle and matters relating to it, the following factory approved pre-delivery service has been performed. Supply fuel Inspect vehicle exterior Complete vehicle documentation, Inspect vehicle interior including 'New Vehicle Information Download and install ToyotaLink Statement' on the inside front cover (if equipped) of this book Inspect under hood Review vehicle Owner's Manuals Explain vehicle service requirement Inspect luggage compartment Demonstrate features and accessories Inspect under vehicle (on hoist) Explain operation of Dealership Service Road test and Parts Departments, including Final inspection contact names, business hours, etc. Yours sincerely, Dealer Principal / General Manager Sales Manager

Service Manager

;

Change of Ownership Information

If your name or address has changed or you are the new owner of this Toyota, please contact the Toyota Guest Experience Centre on Freecall **1800 869 682** or visit the Toyota Owner's Portal: **www.toyota.com.au/mytoyota** to update the ownership information of your vehicle.

This will allow Toyota to make a record of your ownership of the vehicle, and to contact you with any important product or safety updates concerning your vehicle.

Toyota may provide your details to a mailing house for the purposes set out above. Please see the Privacy Statement at the front of this book for further information about Toyota and privacy.

 Scan this QR code* with your smartphone or tablet to visit the Toyota Owner's Portal







Few things in life are guaranteed, but when you buy a Toyota, the price of your next standard scheduled service is. Even after the Toyota Warranty Advantage ends. You'll know how much and what's included*, and there won't be any nasty surprises. Each Toyota is unique so just visit our website, enter your details, and the price you get is the maximum price you pay.

*Valid for 30 days from when the quote is generated, or 31st December, whichever comes first.



OH WHAT A FEELING



COMPLIMENTARY VEHICLE INSPECTION

In keeping with Toyota's commitment to Customer Care, your Toyota Dealer will be pleased to offer you a Complimentary Vehicle Inspection within one (1) month of the delivery date of your new vehicle.

queries you may have. This additional inspection opportunity is provided to make sure you are comfortable As well as carrying out a general inspection of your vehicle, your Dealer will be pleased to respond to any and familiar with your new Toyota.

This Complimentary Inspection offer expires one (1) month after the delivery date of your new vehicle.

BOOK NOW AT YOUR LOCAL TOYOTA AUTHORISED SERVICE CENTRE

OH WHAT A FFFI ING

Note: Engine Oil and Oil Filter replacement is not required at this inspection.

COMPLIMENTARY VEHICLE INSPECTION

S
⋖
\vdash
Щ
۵
~
ш
Z
>
3
0

VEHICLE DETAILS

Model Name ...

Model Code

Registration Number

Customer's Signature.

Selling Dealer's Stamp

Inspecting Dealer's Stamp

General Inspection

Check for normal operation of the engine and drivetrain, condition of exhaust system, brake pipes, hoses, steering and suspension linkages, drive shaft boots and couplings, door lock adjustment and body exterior. Inspect brake pedal free-play and park brake adjustment.

Engine Compartment

Inspect brake fluid level Inspect engine oil level Inspect drive belt tension Inspect coolant level and hose clamps

Fuel System

nspect condition of fuel lines

Note: Engine Oil and Oil Filter replacement is not required at this inspection.

Section 1

1

Important Notice1-2
Toyota and Privacy1–2
Congratulations!1-3
Toyota Authorised Service Centres1-4
Toyota Warranty Advantage1-6
Commercial Application1-7
Terms and Conditions1-7
Technical Information and Enquiries1–7
Further Assistance1–7
Warranty Periods1–8

Helpful Questions and	
Answers	1–11
Toyota Insurance	1-16
Why Choose Toyota	
Insurance	1-16

Important Notice

Important Notice

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

Toyota's services (if any) come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled: (a) to cancel your service contract (if any) with Toyota; and (b) to a refund for the unused portion, or to compensation for its reduced value, for a major failure with any service provided. If a failure with the service (if any) does not amount to a major failure, you are entitled to have the failure rectified in a reasonable time. If this is not done you are entitled to a refund for the goods and to cancel the contract for the service (if any) and obtain a refund of any unused portion. You are also entitled to be compensated for any other reasonably foreseeable loss or damage from a failure in the goods or service.

The Toyota Warranty Advantage, other applicable Toyota warranties and nothing in this Warranty and Service Book limit the Australian Consumer Law statutory consumer guarantees in any way. In some circumstances your rights under the Australian Consumer Law statutory consumer guarantees may be greater than your rights under the Toyota Warranty Advantage or other applicable Toyota warranty, in which case Toyota will always honour your rights under the Australian Consumer Law statutory consumer guarantees.

Toyota and Privacy

Toyota is committed to protecting your privacy and is required to comply with the Australian Privacy Principles in the Privacy Act 1988 (Cth) when it collects and handles your personal information. This includes providing you with the right to access and correct your personal information (subject to some exceptions allowed by law).

For further information about Toyota and privacy, please see the Toyota Privacy Policy, available at **www.toyota.com.au**. You can also contact us by calling **1800 Toyota (869 682)**, or by sending your query to:

Toyota Privacy Contact

P.O. Box 5428

Chatswood West, NSW 1515

©2023 Toyota Motor Corporation Australia Limited

ABN 64 009 686 097

Disclaimer

All information in this book is current at the time of printing. However, because of Toyota's policy of continual improvement, we reserve the right to make changes at any time without notice. All rights reserved. To the extent permitted by law, Toyota Australia will not be liable for any damage, loss or expense incurred as a result of reliance upon the information contained in this book. This material may not be reproduced or copied, in part or whole, without the written permission of Toyota Motor Corporation Australia Limited.

This book explains the warranty and service of all factory installed equipment and options. Due to specification differences among models, you may find that some information may not be applicable to your vehicle. If you have any questions or concerns, please contact your Toyota Authorised Service Centre, they'll be glad to help you.

Congratulations on purchasing your new Toyota

No matter whether this is your first Toyota or you have previously owned a Toyota, you're sure to appreciate the safety, economy and superb engineering of your new vehicle.

In this Warranty and Service Book you'll find all the information you need to ensure your vehicle is maintained in the best possible condition. You'll also find an explanation of everything covered by your Toyota Warranty Advantage (see pages 6-10 in this Section and Important Notice on page 2 in this Section).

This Warranty and Service Book is also your vehicle's service record.

Nothing helps the resale value of your vehicle like a complete service history from your Toyota Authorised Service Centre. It demonstrates to any potential buyer that you've taken care of the vehicle, making it an invaluable asset for negotiating the best possible resale price. We suggest you keep this book in the glove compartment of your vehicle so it can be easily stamped at every service.

Please take the time to read this Warranty and Service Book and, if you have any questions, contact your Toyota Authorised Service Centre. Happy motoring and thank you for choosing Toyota.

Locating your nearest Toyota Authorised Service Centre

To locate your nearest Toyota Authorised Service Centre, you can:

 Call the Toyota Guest Experience Centre on Freecall 1800 869 682 and follow the prompts.

Or

2. Use the Dealer Locator tool in the Find a Dealer link on the Toyota Australia Website:

www.toyota.com.au/find-a-dealer

Or

3. Scan the QR Code* below with your smart phone or tablet to view the **find-a-dealer** tool:



^{*} QR code App required

Toyota Authorised Service Centres

Designed For the Health of Your Toyota

Your Toyota Authorised Service Centre plays an integral role in the enjoyment of your new Toyota. Here you'll find all the expertise you could hope for to ensure your vehicle remains in excellent condition and to assist in years of trouble-free motoring. Your Service Centre can also help with repairs, products such as tyres, Toyota Genuine lubricants, fluids and batteries and, of course, Toyota Genuine Accessories.

Better still, you can use any Toyota Authorised Service Centre in Australia which means that with over 290 Centres Australia-wide, you're never far from a helping hand. If you have any questions don't hesitate to contact any one of them.

Nobody Knows Your Toyota Like Toyota

Toyota Trained Technicians work on Toyotas day in and day out. They also use highly advanced diagnostic equipment and specialised tools and receive ongoing training and regular updates from Toyota to ensure they can keep your Toyota at its very best.

Naturally, your Toyota Authorised Service Centre only uses Toyota Genuine Parts that are manufactured to Toyota's exacting standards*.

Yet Another Helping Hand - Toyota Guest Experience Centre

Should you ever need further assistance, call the Toyota Guest Experience Centre. Our Advisors can help you with information on our products, Toyota Authorised Service Centres, the maintenance of your vehicle and any other questions you may have.

Freecall 1800 Toyota (869 682)

If you'd prefer to write, our address is:

Toyota Guest Experience Centre G.P.O. Box 2006S

Melbourne, VIC 3001

or

www.toyota.com.au

Please include your vehicle's details, which you'll find inside the front cover of this book.

* Toyota Genuine Parts purchased from and fitted by a Toyota Dealer during the Toyota Warranty Advantage period are warranted for the remainder of the applicable Toyota Warranty Advantage period (see page 1-6) or 2 years (whichever is greater). Conditions apply. The Toyota Genuine Parts Warranty does not limit and may not necessarily exceed your rights under the Australian Consumer Law statutory consumer guarantees.



Toyota Warranty Advantage

Toyota has designed and manufactured your new Toyota vehicle to provide trouble free motoring subject to it being properly maintained, used for its intended purpose, unmodified and treated with care.

If your new Toyota is defective, we will refund, repair or replace your vehicle, at our discretion, under the Toyota Warranty Advantage, on the terms and conditions below.

The Toyota Warranty Advantage applies to all new Toyota vehicles delivered in Australia by a Toyota Dealer from 1st January, 2019. The Toyota Warranty Advantage is in addition to your rights under the Australian Consumer Law statutory consumer guarantees.

The standard Toyota Warranty Advantage period for your new vehicle is **5 years** with unlimited kilometres* and, if your vehicle is properly maintained, up to **7** Years Engine and Driveline and up to **10 years Hybrid Battery with unlimited** kilometres* - subject to further terms and conditions in this document.

MIN 5

60-day money back guarantee

For any failure that prevents the vehicle being driveable, and for any failure which has had multiple unsuccessful repair attempts, within **60 days** of collecting your new vehicle.

5 VEARS

We'll keep you mobile

If a defect covered by the Toyota Warranty Advantage causes your vehicle to be undriveable, towing to the nearest Toyota Dealer and a loan car is covered.

5 YEARS

Keep it serviced, Keep it covered

Extended coverage up to **7 years with unlimited kilometres*** on Engine and Driveline (including Hybrid system) if your vehicle is properly serviced and maintained as per the vehicle's Warranty and Service Book



Hybrid Health Check

Extend your coverage each year for up to **10 years** on Hybrid Batteries* with an annual hybrid health check inspection according to Toyota specifications, your Toyota Dealer can assist.

5 VEARS

Your Rights under the Statutory Consumer Guarantees

We will always honour your rights under the Australian Consumer Law which may in some circumstances exceed your rights under the Toyota Warranty Advantage. See further details on page 1–8.

^{*}These periods do not apply to vehicles used for commercial applications (see details on page 1-7).

*Commercial Application

For vehicles used for commercial applications, such as taxis, hire vehicles and vehicles transporting people or goods for payment (including on a part-time or casual basis), the Toyota Warranty Advantage will be as set out on page 1-8 but subject to a maximum of 5 years or 160,000 km whichever occurs first except for perforation (rust through panels) which is as set out on page 1-8. The extended coverage described in the table on page 1-8 is not available for vehicles used in commercial applications. However, your rights under the Australian Consumer Law statutory consumer guarantees may still apply, and may exceed your rights under the Toyota Warranty Advantage.

Terms and Conditions

Certain other terms and conditions apply to the Toyota Warranty Advantage. Please refer to pages 1-9 and 1-10 for details.

Technical Information and Enquiries

Toyota Dealers have Toyota-trained Technical Staff and are your first point of contact for all matters relating to your Toyota vehicle. For a full list of Toyota Dealers please refer to the Find a Dealer link on the Toyota Australia website **www.toyota.com.au/find-a-dealer** or scan the QR code on page 1-4 with your smart phone or tablet to view the **find-a-dealer** tool.

Certain Technical information and Service Bulletins are available from the Toyota Service and Repair Manual website **www.toyotamanuals.com.au**/

Further assistance

Should you require further assistance that your Toyota Dealer is unable to provide, please call, email or mail the Toyota Guest Experience Centre where our Advisors can assist with your enquiry and provide a response.

Free Call:

1800 Toyota (869 682) Mon-Fri 9:00-5:30 AEST

Regular Mail:

Toyota Guest Experience Centre G.P.O Box 2006S Melbourne Victoria 3001

Email:

guestexperience@toyota.com.au

Toyota Genuine Service







Warranty Periods

Vehicle Component	Toyota Warranty Advantage *1	Extended coverage if vehicle is properly serviced and maintained as per vehicle Warranty and Service Book*
Vehicle (bumper to bumper)	5 years / unlimited kms	Review with Dealer ²
Engine / Hybrid System (excluding Hybrid Battery)	5 years / unlimited kms	+2 years / unlimited kms
Driveline		
Hybrid Battery	5 years / unlimited kms	+ up to 5 years / unlimited kms, subject to annual Hybrid Health Check
Perforation (rust through panel)	7 years / unlimited kms	Review with Dealer ²
Utility Deck Panels: Paint / Surface Rust	1 year / 20,000 kms	No Additional Coverage
Standard 12-volt Battery	2 years / unlimited kms	No Additional Coverage
Genuine Parts and Accessories	Up to 5 years ³ / unlimited kms	Review with Dealer ²
Tyres	Not covered by the Toyota V by the tyre m	anufacturer.
J	Contact your local or pre dealer who can assist if	
Towing and Loan Vehicle 4	5 years / unlimited kms	+2 years / unlimited kms
Maintenance Items (Normal wear & tear)	No coverage where replace maintenance reasonably ex your ve	spected to be required for
*Coverage on commercial usage vehicle	as is a maximum of Europes / 160,00	O lung a (cultiple august a agusta firet)

*Coverage on commercial usage vehicles is a maximum of 5 years / 160,000 kms (whichever occurs first).

Notes:

- 1 Toyota Warranty Advantage period begins on the day the Vehicle is registered by the Dealer and guest takes delivery of the Vehicle. If the Vehicle is an ex-demonstrator vehicle, the Toyota Warranty Advantage period commences when the vehicle is registered by the Dealer and put into service as a demonstrator vehicle. A guest is entitled to the balance of the Toyota Warranty Advantage period (except in Western Australia). In Western Australia, the warranty period begins from the purchase date, but kilometres are counted from when the vehicle is put into service as a demonstrator vehicle. The 60-day money back guarantee begins on delivery of the vehicle to a Guest, including for an ex-demonstrator.
- 2 Dealers will review any claims made outside of the applicable Toyota Warranty Advantage period in conjunction with Toyota Australia.
- 3 All Toyota genuine parts / accessories purchased and fitted to a Toyota vehicle by a Toyota Dealer are warranted for the remainder of the Toyota Warranty Advantage period (unlimited kilometres) or for 2 years (unlimited kilometres) from installation, whichever is greater. Toyota genuine parts / accessories purchased from an authorised Toyota Dealer over the counter and not fitted by an authorised Toyota Dealer, carry a Toyota Warranty Advantage period of 2 years / unlimited kilometres.
- 4 If a Vehicle has broken down due to a failure covered by the Toyota Warranty Advantage, towing to the nearest Toyota Authorised Service Centre and a loan car is covered by the Toyota Warranty Advantage. If after investigation, Toyota reasonably considers the failure is not covered by the Toyota Warranty Advantage, Toyota or Dealer may seek reimbursement of these towing and loan vehicle charges (as the case may be).

Notes (continued):

The Toyota Warranty Advantage or other applicable Toyota Warranties do not limit the Australian Consumer Law statutory consumer guarantees in any way. In some circumstances your rights under the Australian Consumer Law statutory guarantees may be greater than your rights under the Toyota Warranty Advantage or other applicable Toyota Warranty, in which case Toyota will always honour your rights under the Australian Consumer Law statutory consumer guarantees.

Terms and Conditions

Your responsibilities

You must operate, maintain and care for your Toyota properly, in accordance with the instructions in your vehicle's Owner's Manual and Warranty and Service Book.

The best way to maintain your vehicle is through a Toyota Dealer. By having your Toyota vehicle maintained at a Toyota Dealer, you'll be in safe hands knowing that your vehicle is being serviced by experts and will always be fitted with Toyota Genuine Parts. Doing so keeps your Toyota in the very best condition.

To make a claim under the Toyota Warranty Advantage, contact an authorised Toyota Dealer. If your name or address has changed or you are the new owner of this Toyota, please visit the Toyota Owner's Portal: www.toyota.com.au/owners or contact the Toyota Guest Experience Centre (see page 1–5) to update the information for your vehicle.

If for some reason the odometer is changed, please have your Toyota Authorised Service Centre verify the date of the change and kilometres travelled on the form located at the back of your vehicle's Warranty and Service Book.

Expenses associated with claims under the Toyota Warranty Advantage

In most cases, there will be no charge to you for expenses associated with making a claim under the Toyota Warranty Advantage. If there are circumstances that mean you may need to pay a charge, the charge will be discussed with you in advance.

Where Coverage Does Not Apply

- Failures in non-genuine parts and accessories and damage or failures caused by such failures.
- Formal or informal competitive events, such as racing.
- Off-road use where the vehicle is not designed for that purpose.
- Water ingress from floods or deep-water fording.
- Overloading permissible loads are covered in the vehicle Owner's Manual.
- Damage caused by improper adjustment, repair, tampering or modifications by a non-Toyota repairer.



- · Accident damage.
- Failures that Toyota reasonably considers result from your failure to operate, maintain and care for your Toyota properly, in accordance with the instructions in your vehicle's Owner's Manual and Warranty and Service Book (including failure to complete applicable scheduled servicing and maintenance).
- Defects caused by the fitment of non-Toyota-approved parts, accessories or add-on parts, or by improper maintenance, or lack of maintenance of those parts.
- Scratches or surface rust caused by normal wear and tear, including but not limited to stone or other chips in paint.
- Damage or breakage of the windscreen or glass caused by normal wear and tear, such as stone impacts.
- Environmental damage, including but not limited to hailstones, windstorms, flooding, fire, lightning or airborne fallout (for example, chemicals, tree sap, bird and insect droppings, etc.).
- Normal wear and tear components including but not limited to: floor mats, engine tune-ups, lubrication, replacement of expendable parts such as filters, coolant, spark plugs, fuses, wiper blades, brake discs, brake drums, brake pads, clutch linings and brake shoes. These items are not covered by the Toyota Warranty Advantage where replacement is in line with operational maintenance requirements specified in the vehicle's Warranty and Service Book or Owner's Manual.
- Normal or characteristic noise, vibration, wear and tear, and deterioration such as discolouration, flaking, deformation or blur associated with lens or glass.
- Fitment of an LPG system could affect coverage under the Toyota Warranty Advantage, speak with your Toyota Dealer for details.
- Petrol engines: damage caused by improper fuels such as the use of fuels with an Ethanol content greater than 10% (E10), or lower than recommended octane rating fuels. See your Owner's Manual for more details.
- Diesel engines: damage caused by improper fuels such as the use of biodiesel fuels greater than 5% (B5) and not conforming to the national diesel fuel standard EN590. See your Owner's Manual for more details.
- Damage caused by the fitment of non-genuine performance enhancing products including but not limited to power chips, forced induction products, suspension components. These products typically impart forces/loads greater than the original design intent and may compromise the vehicle's longevity and durability.

The Toyota Warranty Advantage is provided by Toyota Motor Corporation Australia Limited of 155 Bertie St, Port Melbourne, 3207, Victoria. Please see page 1–7 for full contact details

Helpful Questions and Answers

What should I do if there are any concerns with my new Toyota following delivery?

Because your Toyota is rigorously checked before it is delivered to you, it is highly unlikely you will find any problems with your new Toyota. However, should you have any concerns or questions regarding your new Toyota, bring it into any Toyota Authorised Service Centre for a complimentary inspection. The coupon is located in the front of this book

Does my new Toyota need an oil change during the break-in period?

Your new Toyota is manufactured to precision tolerances and is rigorously checked and filled with high quality lubricants at the factory; as such the oil and filter will be changed at the first scheduled maintenance service. Refer to the Maintenance Schedule in Section 2 of this book.

When do I get my Toyota serviced, and how do I arrange it?

Your Toyota should be serviced according to the Maintenance Schedule in Section 2 of this book. Additional service requirements apply for vehicles driven in harsh conditions or often used for towing heavy loads. The additional requirements are also described in Section 2 of this book. The Service Advisor at your Toyota Authorised Service Centre can best advise you on the maintenance requirements to suit your driving conditions.

Why is time just as important as kilometres for servicing?

If you only drive short distances then you should service your Toyota according to time intervals rather than kilometres travelled. In other words, don't wait months to get your car serviced just because you haven't travelled the required kilometres, waiting can cause all sorts of problems. Harsh driving conditions such as driving on dusty roads, towing or repeated short journeys such as going to the shops, dropping the kids at school, and quick work trips are some of the hardest forms of work an engine can endure, so regular servicing is vital. For more details see the Maintenance Schedule in Section 2 of this book.

What is the Hybrid Health Check?

A Hybrid Health Check is a detailed analysis performed using a special scan tool to confirm the health of your Hybrid battery and systems to ensure trouble free motoring.

How often do I need a Hybrid Health Check?

A Hybrid Health Check is performed annually beginning from the year 5 service then each year thereafter for extended coverage under the Toyota Warranty Advantage up to 10 years (excluding vehicles used for commercial applications).

Will I have to pay for a Hybrid health check?

There is no additional charge for a Hybrid Health Check when it is conducted as part of a routine maintenance service by a Toyota Dealer. Toyota Dealers may charge for Hybrid Health Checks performed outside of routine maintenance services.

Who should service my Toyota?

One of over 290 Toyota Authorised Service Centres, that's who. After all, every Toyota Authorised Service Centre offers specialist Toyota Trained Technicians who work on Toyotas day in and day out. They understand what makes your Toyota 'tick', delivering quick and accurate diagnosis of your vehicle's health. Toyota Authorised Service Centres have access to the latest diagnostic equipment and specialist service tools along with receiving regular updates from Toyota. And because Toyota Authorised Service Centres only use Toyota Genuine Parts which are covered by a 2 year unlimited kilometre warranty*, you'll keep your Toyota, and your warranty, in far better condition. Not to forget that a full service history from a Toyota Authorised Service Centre may also enhance the resale value of your vehicle.

* All Toyota Genuine Parts carry a 2 year Toyota Warranty. Toyota Genuine Parts purchased from and fitted by a Toyota Dealer during the Toyota Warranty Advantage period are warranted for the remainder of the applicable Toyota Warranty Advantage period (see page 1-6) or 2 years (whichever is greater). Conditions apply. The Toyota Genuine Parts Warranty does not limit and may not necessarily exceed your rights under the Australian Consumer Law statutory consumer guarantees.

Who is the best person to talk to at the Toyota Authorised Service Centre?

Talk to your Service Advisor or Customer Relations Manager at your Toyota Authorised Service Centre. If they're unable to assist, ask to speak with the Service Manager.

Isn't Toyota servicing more expensive?

The simple answer is no. After all, you'll probably be entitled to Toyota Service Advantage (TSA) where you pay the same low price* from one standard scheduled service to the next so you know in advance what you'll be paying for the period of TSA coverage. Even after Toyota Service Advantage, you'll still enjoy value for money servicing and repairs at any Toyota Authorised Service Centre in Australia.

* Maximum payable for standard scheduled servicing (normal operating conditions) for the period of TSA coverage. Excludes Government and Rental vehicles. Contact your Toyota Dealer or go to www.toyota.com.au/advantage for eligibility and other exclusions.

How do I know how much a service will cost after the Toyota Service Advantage period?

Having your vehicle serviced, shouldn't come with any surprises. That's why with Toyota Service Guarantee you can have the certainty and peace of mind knowing what's included in each and every service with no unexpected costs, at participating Dealers. You can calculate your service price by going to:



www.toyota.com.au/owners/service/service-pricing

If I have any problems with my Toyota during the Toyota Warranty Advantage Period, what is the best way of getting my Toyota repaired?

Your Toyota Warranty Advantage provides comprehensive security against any unlikely faults in your new Toyota. However, if you need repairs, don't hesitate to call your Toyota Authorised Service Centre. Every Toyota Authorised Service Centre is committed to providing any warranty repairs you may need.

Does towing a caravan or trailer impact on my Toyota Warranty Advantage?

Check with your Toyota Dealer whether your vehicle is suitable for towing. If your vehicle is suitable for towing, then towing a caravan or trailer is covered by the Toyota Warranty Advantage as long as you follow some basic procedures and don't overload your vehicle. The safest way to tow anything is to have your Toyota Authorised Service Centre fit Toyota Genuine towing equipment, and be a cautious, considerate driver. Remember, towing a caravan or trailer can have an adverse effect on the stability, safety, durability and operating economy of your vehicle.

If my vehicle is off the road being repaired, are out of pocket expenses such as accommodation, travel or commercial loss included in the Toyota Warranty Advantage?*

The Toyota Warranty Advantage covers repairs or replacement of parts that are defective in materials or workmanship at the Toyota Authorised Service Centre premises. It does not cover claims for compensation.

* The Toyota warranties do not limit and may not necessarily exceed your rights under the Australian Consumer Law statutory consumer quarantees. You may be entitled to be compensated under the Australian Consumer Law statutory consumer quarantees for foreseeable loss resulting from an issue with your vehicle. If you believe you may have such a claim, please discuss this with your Toyota Dealer.

What costs are not covered by the Toyota Warranty Advantage?

The costs of regular maintenance servicing are not part of the Warranty. Please see What Is Not Covered By Your Toyota Warranty Advantage in this Section of this book.

What happens to the Toyota Warranty Advantage if I modify my vehicle?

The Toyota Warranty Advantage does not cover damage caused by improper adjustment, repair, tampering or modifications by a non-Toyota repairer.

Are tyres covered by the Toyota Warranty Advantage?*

Tyres are not covered by the Toyota Warranty Advantage, but they are warranted by the tyre manufacturer. See your Dealer for details.

I've just taken ownership of a used Toyota. What do I do?

Firstly, take your vehicle to a Toyota Authorised Service Centre to give it a comprehensive safety check. That way any potential problems can be rectified immediately. Then simply keep your vehicle serviced according to the Maintenance Schedule in this book.

Please ensure that you provide updated ownership information to Toyota. By updating your details with Toyota, we will be able to alert you promptly should the need arise.

Where do I service my vehicle?

Toyota Trained Technicians work on Toyotas day in and day out. They also use highly advanced diagnostic equipment and specialised tools and receive ongoing training and regular updates from Toyota to ensure they can keep your Toyota at its very best.

Naturally, your Toyota Authorised Service Centre only uses Toyota Genuine Parts that are manufactured to Toyota's exacting standards.

If I don't drive many kilometres, why should I service my vehicle by time?

Regular maintenance is vital in maintaining the high level of performance and reliability that you expect from your vehicle. Over time the fluids and oils in your vehicle lose their ability to protect your vehicle components from failure.

Therefore your service intervals are for a given time or distance, whichever occurs first.

If I leave a long time between services, will this impact my Toyota Warranty Advantage?

Failures that Toyota reasonably considers result from your failure to operate, maintain and care for your Toyota properly, in accordance with the instructions in your Owner's Manual and Warranty and Service Book (including failure to complete applicable scheduled servicing and maintenance) are not covered by the Toyota Warranty Advantage.

For more information see the Maintenance Schedule in Section 2 of this book.

If I have an accident, is my vehicle covered by the Toyota Warranty Advantage?

Unless the accident is caused by a failure that is covered by the Toyota Warranty Advantage of a warranted part, your vehicle is not covered.

What if I'm travelling and need a service or repair?

There are more than 290 Toyota Authorised Service Centres around Australia, all of which are authorised to carry out servicing, general maintenance and unexpected repairs for you. You'll enjoy exactly the same great experience as you would at your regular Toyota Authorised Service Centre and be back on the road as soon as is physically possible. Better still, many of our Toyota Authorised Service Centres also offer a range of One-Stop-Shop products such as tyres, batteries, lubricants and fluids.

What about using fuel containing Ethanol?

Toyota approves the use of petrol with an Ethanol content up to the limit of 10%. Your Toyota Warranty Advantage will not cover failures or faults due to operation on fuels with an Ethanol content greater than 10%.

It should be noted when using fuels containing Ethanol, as the calorific value for Ethanol is lower than petrol, fuel consumption may increase marginally.

What about using biodiesel fuels?

Toyota will endorse biodiesel fuel blends using FAME (Fatty Acid Methyl Esters that comply with either EN14214 or ASTM D6751 standards) of up to 5% volume concentration when mixed with conventional diesel fuel. The final product B5 (5% Biodiesel blend) at the pump must conform to the national Diesel Fuel Standard which is based on EN590.

Your Toyota Warranty Advantage will not cover failures or faults due to operation on biodiesel fuels greater than a 5% (B5) blend.

Can my Toyota be converted to run on LPG? (Petrol Engine Models Only)

Conversion to LPG may affect your Toyota Warranty Advantage. Please consult with your Toyota Authorised Service Centre for more information.

Liquefied Petroleum Gas (LPG) conversion is not recommended for Hybrid models.

Should I use additional fluid additives like oil, coolant and fuel enhancers?

Your Toyota is engineered to perform at its best with Toyota Genuine Lubricants and Fluids. Use of further additives is not recommended by Toyota.

If I have an accident can my insurance company insist on the repairer I use?

If you are involved in an accident and your Toyota needs repairs, we recommend that you contact your insurer and insist that your vehicle is repaired to Toyota specifications using only Toyota Genuine Parts and Panels that are engineered to perfectly fit and perform in the same manner as your new vehicle was originally designed to. Your Toyota Dealer can advise you on the location and availability of an authorised Toyota Body and Paint repairer who can conduct repairs according to Toyota's exacting specifications.

Toyota Insurance



Toyota Insurance

Why choose Toyota Insurance?

Toyota Insurance is designed to meet the needs of Toyota vehicles and customers. It comes with a range of advantages, not to mention the quality and value you'd expect from Toyota. Quite simply, nothing protects your Toyota better than Toyota Insurance.

Toyota Insurance Benefits:*

- · Quality Repairs with Toyota Genuine Parts
- · A Lifetime Repair Guarantee on repairs authorised by Toyota Insurance
- A new vehicle replacement following a total loss for vehicles up to 3 years old
- · Agreed value cover
- Rental car for up to 21 days if your vehicle is stolen
- Taxi and vehicle transport cover following an accident
- To find out more visit www.toyota.com.au/car-insurance or call 1300 880 182
- To make a claim, call our friendly claims service on 1300 658 027

^{*}Terms and conditions apply. This advice is general in nature and does not take into account your objectives, financial situation or needs. Before making a decision to purchase any of the insurance products you should consider the appropriateness of the advice taking into account your own objectives, financial situations and needs and refer to the current PDS from participating Dealers, via our website at www.toyota.com.au/car-insurance or by calling 137 200. Toyota Insurance is issued by Toyota Finance Australia Limited ABN 48 002 435 181. The Insurer is Aioi Nissay Dowa Insurance Company Australia Pty Ltd. ABN 11 132 524 282, AFSL 443540 (Adica).

Section 2

2

Maintenance of Your Toyota	2-2
Things You Can Do When You Refuel	
Regular Checks	
How to Calculate the Correct Service Intervals	
Important Notices	
Toyota Maintenance Schedule	2-5
Toyota Maintenance Service Times	2–8
Additional Service and Maintenance Requirements	2–49
Additional Maintenance Service Schedule	2–50
Additional Maintenance Service Times	2-51
Additional Service Record	2-52

Maintenance of your Toyota

Maintenance of Your Toyota

Things You Can Do When You Refuel

The best way to ensure years of trouble-free motoring is to develop a habit of regularly checking under the bonnet and around your Toyota. It only takes a few minutes when you refuel, and early detection could save you a lot of money. If you're unsure how to carry out these checks, see your Owner's Manual or ask a Service Advisor at your Toyota Authorised Service Centre for a demonstration at your next service.

- Check engine oil, (ensure engine is hot, wait 5 minutes for an accurate reading)
- Check engine coolant, brake and windscreen washer fluid levels
- Check tyre pressure including spare (when cold)
- You should walk around your vehicle checking that all the lights, indicators and horn are operating correctly
- Operate the air conditioner for at least 5 minutes per week to keep the system in optimum condition.

IMPORTANT NOTICE

To maintain the protection and efficiency of the cooling system, the Toyota Super Long Life Coolant must not be mixed with any other coolant or additive.

Use premixed genuine Toyota Super Long Life Coolant or an equivalent, reputable product to fill the cooling system. Do not use alcohol type antifreeze or plain water alone.

Regular Checks

In addition to the maintenance items listed for each service, the operation of key systems must be regularly checked. To ensure the continued efficiency and reliability of your Toyota to suit your particular driving conditions, the additional maintenance listed below may be recommended.

- Replacement of worn wiper blades
- Brake system inspections
- Headlight realignments

Testing and re-gassing air conditioning

How to Calculate the Correct Service Intervals

Regular servicing of your Toyota is critical to its performance, longevity, resale value and your safety. Failures that Toyota reasonably considers result from lack of proper care or attention as described in your Owner's Manual and instructions and this Warranty and Service Book are not covered by the Toyota Warranty Advantage, see pages 6-10 in Section 1.

Maintenance of your Toyota

Determining the optimum service intervals for your vehicle is easy. Dependent upon your driving habits, you should be servicing based either on time or kilometres.

If for example you drive approximately 10,000 km or less in 6 months, you should be servicing your Toyota in accordance with the 6 month time interval expressed in this book. If on the other hand, you drive more than 10,000 km per 6 months, you should service according to the 10,000 km intervals. If you're confused in any way just talk to your Toyota Service Advisor about the type of schedule best suited to your driving habits.

Wheel Alignment

Abnormal or uneven tyre wear may be noted by your Toyota Authorised Service Centre during your regular maintenance service. This may be caused by your operating environment. Your Toyota Authorised Service Centre will suggest a wheel alignment check (and correction if necessary) to prevent further deterioration to your vehicle's tyres. This will be a chargeable service.

Additional Service Requirements

How and where you drive your Toyota determines the service requirements as much as the time or distance travelled. For example, if you are regularly towing heavy loads or driving in rough conditions, then more frequent maintenance is necessary, refer to Additional Service Requirements in this Section. The Service Advisor at your Toyota Authorised Service Centre can best advise you on the maintenance requirements, to suit your driving conditions.

Break-in Period Oil Change

Your new Toyota is manufactured to precision tolerances and rigorously checked and filled with high quality lubricants at the factory; as such the oil and filter does not need to be changed until the first scheduled service.

Oil Thickening

Oil thickening is a phenomenon which occurs when particles of unburnt fuel and combustion by-products cause a build-up of carbon (soot) in the engine oil forming a jelly type substance. It can cause serious engine damage through oil starvation. It is essential that the engine oil is changed according to the Maintenance Schedule in this Section, at either the time or distance specified.

UNDERSTANDING YOUR TOYOTA MAINTENANCE SCHEDULE

Here is a guide to the codes defining what type of maintenance needs to be performed at each scheduled service. You'll find these marked on Maintenance Schedule pages.

C = Clean

L = Lubricate

I = Inspect, correct, adjust or

R = Replace

replace as necessary

T = Tighten

Important Notices

Driving Through Deep Water, Mud or Sand

Items such as those following, require daily service when you drive through deep water, mud or sand:

- Brake lines and hoses
- Brake linings/drums and brake pads/discs
- · Engine air cleaner filter
- Front and rear differential oil
- Steering linkage
- Transfer oil
- Transmission fluid or oil
- Wheel bearings
- Propeller shafts and drive shafts.

Driving Through Water

Avoid driving through water that may enter the engine compartment. Water entering the engine compartment may enter the engine air intake and other components causing serious damage and or the engine to stop and not restart.

Should you need to drive through deep water, first ascertain that the depth of the water is not above the bottom of the front bumper bar and that the surface of the ground under the water is firm and even with no deep holes, then you can proceed slowly in low gear.

If the water level is deeper than above, it is advisable to wait until the water level has dropped or to find another crossing.

Water Flood

If your Toyota is caught in a flood and is submerged over the engine, do not start it or have it towed in a manner that may cause damage or unsafe operation. Water may have entered the engine, transmission, differential and other assemblies. Before your Toyota can be started and driven again, each assembly must be checked and serviced, otherwise, serious damage may occur.

For additional information on driving and towing your Toyota, see the vehicle's 'Owner's Manual'.

MAINTENANCE SCHEDULE

13/04/2022 - Prado

(Months or odometer reading, months 6	9	12	8	24	30	36	42	48	54 6	99 09	66 7	72 78	84		96	102	90 96 102 108 114 120	114	120
whichever occurs first) km x 1,000 10	9	70	30	40	20	09	70	80	00	90 100 110 120 130 140 150 160 170 180 190 200	0 12	0 13	140	150	160	170	180	190	200
Engine																			
V-ribbed drive belt													_		_		-		-
Engine oil	~	~	~	~	~	~	~	~	~	R		R	~	~	~	~	~	~	~
Engine oil filter	2	~	~	~	~	~	~	~	~	A A		A A	~	~	~	~	~	~	~
Cooling and heater system 1				_				_		_			-		-		_		-
Engine coolant - include intercooler coolant (Toyota Genuine Super LLC) ²				-				_			_				~				-
Exhaust pipes and mountings		_		Ţ		_		_		_			_		_		-		_
Electrical System		ľ		4															
Battery	_	_	_		-	_	_	_				-	_	_	_	_	_	_	-
Fuel System																			
Fuel filter (engine bay)				R			_	R			-	Z.			~				2
Fuel transfer system filter ³		~		~		W.		~		~	-	~	~		~		~		~
Fuel transfer pump ³								N						~					
Water sediment accumulator	_	_	_	_	_	_	7		1	_		_ _	_	_	-	_	-	_	_
Engine air cleaner filter	_	_	~	_	_	~	_		R	_	-	- В	_	8	_	_	~	_	-
Air flow meter (MAF sensor) 4	U	O	O	O	O	O	O	0	C	CC	- 1	CC	U	U	U	O	U	O	O
Diesel smoke				_				_							-				_
Fuel tank cap, fuel lines and connections				_				_					_		_		_		_

whichever occurs first). Use Genuine Toyota Super Long Life Coolant (SLLC) or a similar high quality ethylene glycol based non-Check that the radiator and condenser are not blocked with leaves, dirt, or insects, and the hose connections for installation Replace the engine coolant initially at 96 months or 160,000 km (whichever occurs first), then every 48 months or 80,000 km silicate, non-amine, non-nitrite, and non-borate coolant with long-life hybrid organic acid technology. condition and corrosion.

Coolant with long-life hybrid organic acid technology consists of the combination of low phosphates and organic acids.) For vehicles with dual fuel tank only.

MAF sensor removal is not required to perform cleaning. Do not use chemicals etc to clean MAF sensor. Refer to repair manual or correct cleaning method

Toyota Maintenance Schedule

ш
-
_
$\boldsymbol{\mathcal{L}}$
Δ
ш
〒
_
()
\sim
C)
ш
O
-
_
⋖
\rightarrow
_
ш
\equiv
-
_
_
⋖
_
2

(Months or odometer reading, months 6	9 5	12	<u>~</u>	24	30	36	42	42 48	24	9	99	72 78 84 90	78	84		96 10	10	96 102 108 114 120	4 12
whichever occurs first) km x 1,000	0 10	20	30	40	20	9	70	80	06	100	110	120 1	30 1	40 1	50 1	60 17	70 18	110 120 130 140 150 160 170 180 190 200	0 20
Chassis and Body																			
Brake pedal and parking brake	•	_		_		_		_		_		_		_		_			_
Brake linings and drums (include parking brake linings and drums)				_				_				_				_			_
Brake pads and discs		_	_	_	_	-	_	_	_	_	_	_	_	_	_			_	_
Brake fluid	5	7	-	~	-	-	-	~	_	_	_	~	_	_	_	~		_	~
Brake pipes and hoses		_		4		_		_		_		_		_		_		_	_
Vacuum pump for brake booster ⁵				4															_
Power steering fluid	_	_	-	4	5	_	_	_	_	_	_	_	_	_	_				_
Steering wheel and linkage		_				7		_		_		_		_		_			_
Propeller shaft grease	_		_	_	4		_	_	_	_	_	_	_	_	_	_	_		
Tightening propeller shaft bolts	⊢	—	—	⊢	H	۲	Н	—	—	—	—	—	—	—	_	_ _	' 	_	-
Drive shaft boots	_	_	-	_	-	7	=	_	_	_	_	_	_	_	_	_		_	_
Suspension ball joint and dust covers	10	_		_		_		Y		_		_		_		_			_
Automatic transmission fluid				_				-				_				_			_
Automatic transmission fluid cooler hoses and connections				_												_			_
Transfer oil				_				_				_				_			_
Front differential oil		_		~		_		~		7		~		_		~			2
Rear differential oil		_		~		_		~		_		R		_		~			2
Front and rear suspensions (include KDSS)		_		_		_		_		_		_							_
Bolts and nuts on chassis and body ⁶										_									_
2000 12 04+ 03102 2000 N 3020 MOX 4+100 3000 12 04+ 030 1200 3	1	1	3	700															

⁵ Replace the blades with new ones. Never reuse the blades. ⁶ For seat mounting bolts, front and rear suspension retaining bolts.

MAINTENANCE SCHEDULE

(Months or odometer reading,	months 6 12 18 24 30 36 42 48 54 60 66 72 78 84 90 96 102 108 114 120	9	12	9	24	30	36	42	48	54	9	99	72	78	84	06	96	102	108	114	120
whichever occurs first)	km x 1,000 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200	10	20	30	40	20	09	70	80	90	100	110	120	130	140	150	160	170	180	06	200
Chassis and Body continued																					
Accessory items 7	×	_	_	_	_	_	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Tyres and inflation pressures		4	_	_	_	_	-	_	_ _ _		_	_	_	-	_	_	_	_	_	_	_
Rotate wheels		-	_ '	_	_	_	-	_	_ _ _ _	_	_ _	_	_	_	_	-	_	_	-	_	_
Balance front wheels		-	£	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Driver's floor mat - fitment and retention		-	_	-				_	- - - -	_	_	_	_	_	_	_	_	_	_	_	_
Lights, horn, wipers and washers	S	_	_	-	7		_	_	-	_	_	_	_	_	_	_	_	_	_	_	_
Seatbelt, webbing condition, buckle and retractor mechanism operation	uckle tion	_	_	_	_	-	-	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Air conditioner filter				~	-		R	4		~			~			~			~		
Air conditioner, including refrigerant level	erant		_		_				_ '		_		_		_		_		_		_
Road Test							4	7													
Road test vehicle		_	_	_	_	_	-	7		+	-	_	_	_	_	_	_	_	-	_	_
7 Inspect for correct fitment. Check tension of retaining bolts for any heavy metal accessory (towbar, bullbar, side steps etc.).	tension	of re	tain	ina k	oolts	for	A Vue) eac	v me	70	900	200	ţ	vhar		har	ر <u>ن</u> م	40	90	-	

MAINTENANCE SERVICE TIMES

LIVINI EINVINCE SEINNICE III-IES	2																			
(Months or odometer reading, months 6 12 18 24 30 36 42 48 54 60 66 72 78 84 90 96 102 108 114 120	months	9	12	9	24	30	36	42	48	54	90	2 99	72 7	∞	4	6	5 10	2 108	114	120
whichever occurs first)	Km x 1,000 10 20 30 40 50 60 70 80 90 100 110 120 130 140 150 160 170 180 190 200	9	20	30	40	20	09	70	80	90 1	00	10 1	20 1	30 14	15	91 09	0 17	180	190	200
Maintenance Service Times for Normal Conditions	for Norm	al Co	ndi	tion	s															
GDJ150 models (with dual fuel tank)		1.2	1.7	1.3	2.6	1.2	8.	1.2	2.6	.3	9.	.2 2	.7 1	.2 1	7 3	.1	0 1.2	2 1.8	1.2	1.2 1.7 1.3 2.6 1.2 1.8 1.2 2.6 1.3 1.9 1.2 2.7 1.2 1.7 3.1 3.0 1.2 1.8 1.2 11.6
GDJ150 models (without dual fuel tank)		1.2	1.4	1.3	2.3	1.2	1.5	1.2	2.3	.3	9.	.2 2	4.	.2 1.	1.	3 2.	7 1.3	1.5	1.2	1.2 1.4 1.3 2.3 1.2 1.5 1.2 2.3 1.3 1.6 1.2 2.4 1.2 1.4 1.3 2.7 1.2 1.5 1.2 11.3

The times above give the recommended time in hours to perform a normal service. Additional time maybe required to correct items or replace parts as identified during the maintenance operation.

Ask your Service Advisor for the time to perform any additional maintenance.



Service Centre Verification

you have completed all aspects of the Service recommendations

checked for any outstanding recall campaigns.

month or 10,000 km Maintenance Record (whichever occurs first)

Genuine Parts Using Non This service has been completed in accordance with Toyota requirements. Km: Date: Non Toyota Authorised Service Toyota Authorised Service The vehicle has been (Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat
- for correct fitment and retention
- ☐ Inspect external lights



- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
 - ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation



H₂

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

H5

- ☐ Final inspection
- ☐ Road test vehicle

^{*} Refer to Page 2-49 for additional service and maintenance requirements



Genuine Parts

Using 1 Using

Service Centre Verification

2 month or 20,000 km Maintenance Record (whichever occurs first)

you have completed all aspects of the Service recommendations This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns

Km: Date: Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights



- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake pedal and parking brake
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect steering wheel
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Inspect air conditioner, including refrigerant level



H₂

- ☐ Drain engine oil
- Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect front differential oil
- ☐ Inspect rear differential
- ☐ Inspect front and rear suspensions (include KDSS)

H3

- ☐ Inspect brake pads and discs
- ☐ Inspect brake pipes and hoses
- ☐ Inspect tyres and inflation pressures
- ☐ Rotate wheels and balance front wheels

continued overleaf

^{*} Refer to Page 2-49 for additional service and maintenance requirements

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

H5

- ☐ Final inspection
- ☐ Road test vehicle



Using Non

Km:

Non Toyota Authorised Service

(Tick as appropriate)

Using

Service Centre Verification

month or 30,000 km Maintenance Record (whichever occurs first) This service has been completed in accordance with Toyota requirements.

you have completed all aspects of the Date: The vehicle has been checked for any outstanding recall campaigns Toyota Authorised Service

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights



- ☐ Inspect battery
- ☐ Replace engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation
- ☐ Replace air conditioner filter



- H₂
- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

H5

- ☐ Final inspection

3/04/2022 - Prado

[☐] Road test vehicle

24 month or 40,000 km Maintenance Record (whichever occurs first)

This service has been completed in accordance with Toyota requirements.

you have completed all aspects of the

Genuine Parts Service recommendations Using Toyota ! Km: Date: The vehicle has been checked for any outstanding recall campaigns Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights

H1

- ☐ Inspect cooling and heater system
- ☐ Inspect engine coolant
- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect fuel tank cap, fuel lines and connections
- ☐ Inspect brake pedal and parking brake
- ☐ Drain brake fluid and fit refiller
- Inspect power steering fluid
- ☐ Inspect steering wheel
- ☐ Inspect automatic transmission fluid
- ☐ Inspect automatic transmission fluid cooler hoses and connections
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers

- □ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Inspect air conditioner, including refrigerant level

H2

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect transfer oil
- ☐ Replace front differential
- ☐ Replace rear differential oil
- ☐ Inspect front and rear suspensions (include KDSS)

^{*} Refer to Page 2-49 for additional service and maintenance requirements

H3	
113	
☐ Inspect brake linings and drums (include parking brake linings and drums	
☐ Inspect brake pads and discs	
☐ Replace brake fluid	
☐ Inspect brake pipes and hoses	
☐ Inspect tyres and	
inflation pressures	
☐ Rotate wheels and balance front wheels	
114	7
H4	
☐ Fill engine oil	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment	>
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator	>
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels H5	



Using Non

Service recommendations

Service Centre Verification

you have completed all aspects of the 30 month or 50,000 km Maintenance Record (whichever occurs first) This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns

Non Toyota Authorised Service (Tick as appropriate)

Km:

Date:

Toyota Authorised Service

Maintenance for Normal Operating Conditions*

☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au



☐ Inspect driver's floor mat for correct fitment and retention

☐ Inspect external lights

H1

- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation

H₂

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

H5

- ☐ Final inspection
- ☐ Road test vehicle

Section 2-17



36 month or 60,000 km Maintenance Record (whichever occurs first) This service has been completed in accordance with Toyota requirements.

you have completed all aspects of the Genuine Parts Using Km: Date: The vehicle has been checked for any outstanding recall campaigns Non Toyota Authorised Service Toyota Authorised Service Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and
- retention
- ☐ Inspect external lights

H1

- ☐ Inspect battery
- ☐ Replace engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake pedal and parking brake
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect steering wheel
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Replace air conditioner filter
- ☐ Inspect air conditioner, including refrigerant level



H₂

- ☐ Drain engine oil
- Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect front differential oil
- ☐ Inspect rear differential
- ☐ Inspect front and rear suspensions (include KDSS)

H3

- ☐ Inspect brake pads and discs
- ☐ Inspect brake pipes and hoses
- ☐ Inspect tyres and inflation pressures
- ☐ Rotate wheels and balance front wheels

^{*} Refer to Page 2-49 for additional service and maintenance requirements

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle



42 month or 70,000 km Maintenance Record (whichever occurs first) This service has been completed in accordance with Toyota requirements.

you have completed all aspects of the Genuine Parts Service recommendations Using Non Km: Date: The vehicle has been checked for any outstanding recall campaigns Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights



- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
 - ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation



H₂

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle



Using I Using

Service recommendations

Service Centre Verification

you have completed all aspects of the Toyota ! 48 month or 80,000 km Maintenance Record (whichever occurs first) This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns

Toyota Authorised Service

Km: Date: Non Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au



- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights

H1

- ☐ Inspect cooling and heater system
- ☐ Inspect engine coolant
- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect fuel tank cap, fuel lines and connections
- ☐ Inspect brake pedal and parking brake
- ☐ Drain brake fluid and fit refiller
- Inspect power steering fluid
- ☐ Inspect steering wheel
- ☐ Inspect automatic transmission fluid
- ☐ Inspect automatic transmission fluid cooler hoses and connections
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers



☐ Inspect air conditioner, including refrigerant level

H2

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect transfer oil
- ☐ Replace front differential
- ☐ Replace rear differential
- ☐ Inspect front and rear suspensions (include KDSS)

^{*} Refer to Page 2-49 for additional service and maintenance requirements

Н3
☐ Inspect brake linings and drums (include parking brake linings and drums)
☐ Inspect brake pads and discs
☐ Replace brake fluid
☐ Inspect brake pipes and hoses
☐ Inspect tyres and inflation pressures
☐ Rotate wheels and balance front wheels
H4
H4 ☐ Fill engine oil
☐ Fill engine oil ☐ Replace fuel filter
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment
□ Fill engine oil □ Replace fuel filter (engine bay) □ Inspect water sediment accumulator
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels H5



Using Non

Km:

Non Toyota Authorised Service

(Tick as appropriate)

Service Centre Verification

54 month or 90,000 km Maintenance Record (whichever occurs first) This service has been completed in accordance with Toyota requirements.

you have completed all aspects of the Using Date: The vehicle has been checked for any outstanding recall campaigns Toyota Authorised Service

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns
 - www.vehiclerecalls.gov.au



☐ Inspect external lights



- ☐ Inspect battery
- ☐ Replace engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation
- ☐ Replace air conditioner filter



- H₂
- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle

^{*} Refer to Page 2-49 for additional service and maintenance requirements





Service Centre Verification	By stamping this form you confirm that you have completed all aspects of the
month or 100,000 km Maintenance Record (whichever occurs first)	s service has been completed in accordance with Toyota requirements. e vehicle has been checked for any outstanding recall campaigns.

E F I

Genuine Parts Using Date:.... Km: Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat
- for correct fitment and retention
- ☐ Inspect external lights

H1

- ☐ Inspect V-ribbed drive belt
- ☐ Inspect cooling and heater system
- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect fuel tank cap, fuel lines and connections
- ☐ Inspect brake pedal and parking brake
- ☐ Inspect brake fluid
- Inspect power steering fluid
- Inspect steering wheel
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Inspect air conditioner, including refrigerant level



H2

- ☐ Drain engine oil
- Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect front differential oil
- ☐ Inspect rear differential
- ☐ Inspect front and rear suspensions (include KDSS)
- ☐ Tighten bolts and nuts on chassis and body

Н3 ☐ Inspect brake pads and discs ☐ Inspect brake pipes and hoses ☐ Inspect tyres and inflation pressures ☐ Rotate wheels and balance front wheels **H4** ☐ Fill engine oil ☐ Inspect water sediment accumulator ☐ Check fluid levels **H5** ☐ Final inspection ☐ Road test vehicle



This service has been completed in accordance with Toyota requirements.

66 month or 110,000 km Maintenance Record (whichever occurs first)

you have completed all aspects of the Genuine Parts Service recommendations Using Non Km: Date: The vehicle has been checked for any outstanding recall campaigns Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au



☐ Inspect driver's floor mat for correct fitment and retention

☐ Inspect external lights

H1

☐ Inspect battery

☐ Inspect engine air cleaner filter

☐ Clean air flow meter (MAF sensor)

☐ Inspect brake fluid

☐ Inspect power steering fluid

☐ Inspect accessory items

☐ Inspect internal lights, horn, wipers and washers

☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation H₂

☐ Drain engine oil

☐ Replace engine oil filter

☐ Lubricate propeller shaft

☐ Tighten propeller shaft bolts

☐ Inspect drive shaft boots

☐ Inspect brake pads and discs

☐ Inspect tyres and inflation pressures

□ Rotate wheels and balance front wheels

H4

☐ Fill engine oil

☐ Inspect water sediment accumulator

☐ Check fluid levels

H5

☐ Final inspection

^{*} Refer to Page 2-49 for additional service and maintenance requirements



Service Centre Verification month or 120 000 km Maintenance Becord (whichever occurs

Service Centre Verification	By stamping this form you confirm that you have completed all aspects of the Toyota Service recommendations Using Toyota Genuine Parts (Tick as appropriate)	
72 month or 120,000 km Maintenance Record (whichever occurs first)	This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns. Date: Non Toyota Authorised Service (Tick as a papropriate)	

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights

H1

- ☐ Inspect V-ribbed drive belt
- ☐ Inspect cooling and heater system
- ☐ Inspect engine coolant
- ☐ Inspect battery
- ☐ Replace engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect fuel tank cap, fuel lines and connections
- ☐ Inspect brake pedal and parking brake
- Drain brake fluid and fit refiller
- Inspect power steering fluid
- ☐ Inspect steering wheel
- ☐ Inspect automatic transmission fluid
- ☐ Inspect automatic transmission fluid cooler hoses and connections
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers

- □ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Replace air conditioner filter
- ☐ Inspect air conditioner, including refrigerant level

H₂

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect transfer oil
- ☐ Replace front differential
- ☐ Replace rear differential oil
- ☐ Inspect front and rear suspensions (include KDSS)

^{*} Refer to Page 2-49 for additional service and maintenance requirements

H3	
113	
☐ Inspect brake linings and drums (include parking brake linings and drums	
☐ Inspect brake pads and discs	
☐ Replace brake fluid	
☐ Inspect brake pipes and hoses	
☐ Inspect tyres and	
inflation pressures	
☐ Rotate wheels and balance front wheels	
114	7
H4	
☐ Fill engine oil	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment	>
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator	>
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels H5	



This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns

78 month or 130,000 km Maintenance Record (whichever occurs first)

you have completed all aspects of the Genuine Parts Service recommendations Using Non Km: Date: Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights



H1

- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation

H₂

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft ☐ Tighten propeller shaft
- bolts ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle

^{*} Refer to Page 2-49 for additional service and maintenance requirements



Parts

Genuine

Using

Km:

Non Toyota Authorised Service

Tick as appropriate)

Service Centre Verification

84 month or 140,000 km Maintenance Record (whichever occurs first)

you have completed all aspects of the Service recommendations This service has been completed in accordance with Toyota requirements. The vehicle has been

checked for any outstanding recall campaigns.

Date: Toyota Authorised Service

Maintenance for Normal Operating Conditions*

☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au



☐ Inspect driver's floor mat for correct fitment and retention

☐ Inspect external lights

H1

☐ Inspect V-ribbed drive belt

☐ Inspect cooling and heater system

☐ Inspect battery

☐ Inspect engine air cleaner filter

☐ Clean air flow meter (MAF sensor)

☐ Inspect fuel tank cap, fuel lines and connections

☐ Inspect brake pedal and parking brake

☐ Inspect brake fluid

■ Inspect power steering fluid

Inspect steering wheel

☐ Inspect accessory items

☐ Inspect internal lights, horn, wipers and washers

☐ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation

☐ Inspect air conditioner, including refrigerant level

H₂

☐ Drain engine oil

Replace engine oil filter

☐ Inspect exhaust pipes and mountings

☐ Replace fuel transfer system filter

☐ Inspect steering linkage

☐ Lubricate propeller shaft

☐ Tighten propeller shaft bolts

☐ Inspect drive shaft boots

☐ Inspect suspension ball joint and dust covers

☐ Inspect front differential

☐ Inspect rear differential

☐ Inspect front and rear suspensions (include KDSS)

H3

☐ Inspect brake pads and discs

☐ Inspect brake pipes and hoses

☐ Inspect tyres and inflation pressures

□ Rotate wheels and balance front wheels

^{*} Refer to Page 2-49 for additional service and maintenance requirements

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle

Toyota Service Guarantee -Service Pricing



This service has been completed in accordance with Toyota requirements. By stamping the your have completed for any outstanding recall campaigns. Solvota Service Date:		
70)	ents.	By stamping this form you confirm that you have completed all aspects of the
	07	Toyota Service recommendations □ Using Toyota Genuine Parts
	\$	Using Non Genuine Parts
(Tick as appropriate) Km:	Km:	(Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights

H1

- ☐ Inspect battery
- ☐ Replace engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- Replace air conditioner filter

H2

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Replace fuel transfer pump
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

H3

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- ☐ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle

^{*} Refer to Page 2-49 for additional service and maintenance requirements



96 month or 160,000 km Maintenance Record (whichever occurs first)

you have completed all aspects of the This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns

Parts Service recommendations Genuine Using Km: Date:

Non Toyota Authorised Service Toyota Authorised Service

(Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat
- for correct fitment and retention
- ☐ Inspect external lights



- ☐ Inspect V-ribbed drive belt
- ☐ Inspect cooling and heater system
- ☐ Replace engine coolant
- □ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect fuel tank cap, fuel lines and connections
- ☐ Inspect brake pedal and parking brake
- Drain brake fluid and fit refiller
- Inspect power steering fluid
- ☐ Inspect steering wheel
- ☐ Inspect automatic transmission fluid
- ☐ Inspect automatic transmission fluid cooler hoses and connections
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers



- □ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Inspect air conditioner, including refrigerant level

H2

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect transfer oil
- ☐ Replace front differential
- ☐ Replace rear differential
- ☐ Inspect front and rear suspensions (include KDSS)

^{3/04/2022 -} Prado

H3	
113	
☐ Inspect brake linings and drums (include parking brake linings and drums	
☐ Inspect brake pads and discs	
☐ Replace brake fluid	
☐ Inspect brake pipes and hoses	
☐ Inspect tyres and	
inflation pressures	
☐ Rotate wheels and balance front wheels	
114	7
H4	
☐ Fill engine oil	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment	>
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator	>
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels	
☐ Fill engine oil ☐ Replace fuel filter (engine bay) ☐ Inspect water sediment accumulator ☐ Check fluid levels H5	



Using Non

Km:

Service Centre Verification

02 month or 170,000 km Maintenance Record (whichever occurs first)

3/04/2022 - Prado

you have completed all aspects of the Service recommendations This service has been completed in accordance with Toyota requirements. Date: The vehicle has been checked for any outstanding recall campaigns Toyota Authorised Service

Maintenance for Normal Operating Conditions*

☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au



- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights

H1

- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation

H₂

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

H5

- ☐ Final inspection
- ☐ Road test vehicle

Non Toyota Authorised Service

(Tick as appropriate)



Parts

Genuine

Using

Service Centre Verification

08 month or 180,000 km Maintenance Record (whichever occurs first)

3/04/2022 - Prado

you have completed all aspects of the Service recommendations This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns

Non Toyota Authorised Service Toyota Authorised Service

Km:

Date:

Tick as appropriate)

Maintenance for Normal Operating Conditions*

☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au



☐ Inspect driver's floor mat for correct fitment and retention

☐ Inspect external lights

H1

- ☐ Inspect V-ribbed drive belt
- ☐ Inspect cooling and heater system
- ☐ Inspect battery
- ☐ Replace engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect fuel tank cap, fuel lines and connections
- ☐ Inspect brake pedal and parking brake
- ☐ Inspect brake fluid
- Inspect power steering fluid
- Inspect steering wheel
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Replace air conditioner filter
- ☐ Inspect air conditioner, including refrigerant level

H₂

- ☐ Drain engine oil
- Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball joint and dust covers
- ☐ Inspect front differential
- ☐ Inspect rear differential
- ☐ Inspect front and rear suspensions (include KDSS)

H3

- ☐ Inspect brake pads and discs
- ☐ Inspect brake pipes and hoses
- ☐ Inspect tyres and inflation pressures
- ☐ Rotate wheels and balance front wheels

continued overleaf

Section 2-43

^{*} Refer to Page 2-49 for additional service and maintenance requirements

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle



Service Centre Verification

114 month or 190,000 km Maintenance Record (whichever occurs first) Date:

you have completed all aspects of the Using Non This service has been completed in accordance with Toyota requirements. Km: The vehicle has been checked for any outstanding recall campaigns Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Maintenance for Normal Operating Conditions*

- ☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au
- ☐ Inspect driver's floor mat for correct fitment and retention
- ☐ Inspect external lights



- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect brake fluid
- ☐ Inspect power steering fluid
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers
- ☐ Inspect seatbelt. webbing condition, buckle and retractor mechanism operation



H₂

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots

- ☐ Inspect brake pads and discs
- ☐ Inspect tyres and inflation pressures
- □ Rotate wheels and balance front wheels

H4

- ☐ Fill engine oil
- ☐ Inspect water sediment accumulator
- ☐ Check fluid levels

- ☐ Final inspection
- ☐ Road test vehicle

^{*} Refer to Page 2-49 for additional service and maintenance requirements



Parts

Genuine

Using

Service Centre Verification

20 month or 200,000 km Maintenance Record (whichever occurs first)

you have completed all aspects of the Service recommendations This service has been completed in accordance with Toyota requirements. The vehicle has been checked for any outstanding recall campaigns

Non Toyota Authorised Service Toyota Authorised Service (Tick as appropriate)

Km:

Date:....

Maintenance for Normal Operating Conditions*

☐ Check for outstanding recall campaigns www.vehiclerecalls.gov.au



☐ Inspect driver's floor mat for correct fitment and retention

☐ Inspect external lights

H1

- ☐ Inspect V-ribbed drive belt
- ☐ Inspect cooling and heater system
- ☐ Inspect engine coolant
- ☐ Inspect battery
- ☐ Inspect engine air cleaner filter
- ☐ Clean air flow meter (MAF sensor)
- ☐ Inspect fuel tank cap, fuel lines and connections
- ☐ Inspect brake pedal and parking brake
- Drain brake fluid and fit refiller
- ☐ Inspect vacuum pump for brake booster
- ☐ Inspect power steering fluid
- ☐ Inspect steering wheel
- □ Inspect automatic transmission fluid
- ☐ Inspect automatic transmission fluid cooler hoses and connections
- ☐ Inspect accessory items
- ☐ Inspect internal lights, horn, wipers and washers

- □ Inspect seatbelt, webbing condition, buckle and retractor mechanism operation
- ☐ Inspect air conditioner, including refrigerant level

H2

- ☐ Drain engine oil
- ☐ Replace engine oil filter
- ☐ Inspect exhaust pipes and mountings
- ☐ Replace fuel transfer system filter
- ☐ Inspect steering linkage
- ☐ Lubricate propeller shaft
- ☐ Tighten propeller shaft bolts
- ☐ Inspect drive shaft boots
- ☐ Inspect suspension ball ioint and dust covers
- ☐ Inspect transfer oil
- □ Replace front differential
- ☐ Replace rear differential
- ☐ Inspect front and rear suspensions (include KDSS)
- ☐ Tighten bolts and nuts on chassis and body

^{3/04/2022 -} Prado

H	3
	Inspect brake linings and drums (include parking brake linings and drums)
	Inspect brake pads and discs
	Replace brake fluid
	Inspect brake pipes and hoses
	Inspect tyres and inflation pressures
	Rotate wheels and balance front wheels
H	1
	Fill engine oil
	Fill engine oil Replace fuel filter (engine bay) Inspect water sediment
	Fill engine oil Replace fuel filter (engine bay) Inspect water sediment accumulator
	Fill engine oil Replace fuel filter (engine bay) Inspect water sediment
	Fill engine oil Replace fuel filter (engine bay) Inspect water sediment accumulator Check fluid levels
 	Fill engine oil Replace fuel filter (engine bay) Inspect water sediment accumulator Check fluid levels
 	Fill engine oil Replace fuel filter (engine bay) Inspect water sediment accumulator Check fluid levels

Additional Service and Maintenance Requirements

Additional Service and Maintenance Requirements

How and where you drive your Toyota determines the service requirements as much as the time or distance travelled. For example, if you are regularly towing heavy loads or driving in rough conditions, then more regular maintenance is necessary. Discuss the typical sort of driving you'll be doing with your Toyota Service Advisor, they will advise how to maintain your vehicle to keep it performing at its best and make sure you qualify for extended coverage under the Toyota Warranty Advantage where applicable (see pages 6-10 in Section 1).

If you consistently put your vehicle through extreme conditions or drive in harsh environments, then your vehicle will require extra maintenance as described in Additional Service Schedule.

These conditions could include any or all of the following:

- · Driving on rough, muddy or snow-melted roads
- Driving on dusty roads
- · Towing trailers, caravans or boats, or using a car top carrier
- · Repeated short trips, less than 8 kilometres, in freezing conditions
- Extensive idling and or low speed driving for long distance, such as taxis, couriers, etc. (please note that specific terms and conditions apply to vehicles used for commercial application under the Toyota Warranty Advantage, and extended coverage is not available for these vehicles)
- Continuous high speed driving (at speeds greater than 140 km/h) for over 2 hours.
- Using fuel from non-commercial supplies / storage.

Additional Maintenance Service Schedule

	ш	u
	=	Į
	=	כ
		2
	Ľ	Ц
	ì	É
	5	۲
		2
	۲	۲
	2	;
۹	ź	
	3	\$
	1	a
	Ĕ	i
	Ż	Z
k	Ξ	┋
4	5	Ę
	2	ı
	_	d
	<	ζ
	Z	Z
	C)
	È	Ė
	Ş	₹
	Ç	2
		j
	<	ζ

		•	,	•								3	9	:	;	9	ì			
reading,	months	~	٥	S)	17	15		7 7	77 77		33	36	39	47	45	8	2	54	2/	09
whichever occurs first)	km x 1,000	Ŋ	9	15	70	25	30	35 4	40 45	20	22	9	65	2	75	80	82	6	95 1	90
Engine	X																			
Engine oil		~		~		2		R	R		~		2		~		2		2	
Engine oil filter	X	~		~		~		~	W.		~		~		~		~		~	
Fuel System																				
Fuel filter (engine bay) 8					~							~								 ~
Engine air cleaner filter (dusty road)	sty road)	-		_		_		_	_		-		_		_		_		_	
Air flow meter (MAF sensor) ⁴	4	U		U		Ų		U	U		U		U		U		U		U	
Chassis and Body																				
Brake linings and drums (Include parking brake linings and drums)	clude rums)		_		_		-			_		_		_				_		_
Brake pads and discs		_		_		_		_,	_		_		_		_		_			
Brake pipes and hoses			_							-				_				_		
Steering wheel and linkage			_							_				_				_		
Propeller shaft grease		_		_				L	Z	. /	_		_		_		_			
Tighten propeller shaft bolts	S	⊢		⊢		_		L			\vdash		—		\vdash		_		_	
Drive shaft boots		_		_		_		_			7		_		_		_		_	
Suspension ball joint and dust cover	ust cover		_				_							_				_		
Automatic transmission fluid	70									厂						~				
Transfer oil									8							~				
Front differential oil					~							R								~
Rear differential oil					8							R								~
Front and rear suspension			_				_			-				-				_		

MAF sensor removal is not required to perform cleaning. Do not use chemicals etc to clean MAF sensor. Refer to repair manual for correct cleaning method.

For vehicles using fuel from non-commercial supplies / storage, replace the fuel filter every 12 months or 20,000 km.

ADDITIONAL MAINTENANCE SCHEDULE

13/04/2022 - Prado

(Months or odometer reading, months 3 6 9 12 15 18 21 24 27 30 33 36 39 42 45 48 51 54 57 60	months	ო	9	0	12	15	<u>∞</u>	21	24	27 3	0 3	3	9	9 47	45	48	5	54	57	09
whichever occurs first)	km×1,000 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100	Ŋ	9	15	20	25	30	35	40	15 5	0	5	9	5 70	75	80	82	90	95	100
Chassis and Body (continued)	(þa																			
Bolts and nuts on chassis and body ⁶	nd body ⁶									'-	_									
Accessory items ⁷		7		_		_		_		_					_		_		_	
Tyres and inflation pressures	SS			_		_		_		_					_		-		_	
Driver's floor mat - fitment and retention	and	-	Y	_		_		_		_					_		_		_	
Lights, horn, wipers and washers	ashers			-		-		_		_			_		_		_		_	
Seatbelt, webbing condition, buckle and retractor mechanism operation	n, buckle peration	_		-	1			_		_					_		_		_	
Air conditioner filter				~						2					2					
Road Test																				
Road test vehicle		_		_				4		_					_		_		_	

⁶ For seat mounting bolts, front and rear suspension retaining bolts.

7 Inspect for correct fitment. Check tension of retaining bolts for any heavy metal accessory (towbar, bullbar, side steps etc.).

ADDITIONAL MAINTENANCE SERVICE TIMES

Additional Maintenance Service Times

(Months or odometer reading,	months 3 6 9 12 15 18 21 24 27 30 33 36 39 42 45 48 51 54 57 60	က	9	0	12	15	<u>∞</u>	7	74	27	30	33	36	39	42	45	48	2	24	21	09
whichever occurs first)	km×1,000 5 10 15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100	2	9	15	20	25	30	35	40	45	20	55	9	65	70	75	80	85	90	95	001
Maintenance Service Times for Severe Conditions	for Severe	Con	ditio	suc										K							
GDJ150 models with A/T		0.8	0.3	6.0	0.38	0.8	0.3	0.8	0	0.9	0.5	0.8	0.38	0.8	0.3	0.8 0.3 0.9 0.3 0.8 0.3 0.8 0 0.9 0.5 0.8 0.3 0.8 0.3 0.9 0.7 0.8 0.3 0.8 0.3	0.7	8.0	0.3	0.8).3 ⁸

The times above give the recommended time in hours to perform each service over and above a normal service. Additional time maybe required to correct items or replace parts as identified during the maintenance operation.

Ask your Service Advisor for the time to perform any additional maintenance.

For vehicles using fuel from non-commercial supplies / storage, replace the fuel filter every 12 months or 20,000 km Add 0.3 hours.

This additional service has been completed in accordance with the Additional Service Requirements:	This additional service has been completed in accordance with the Additional Service Requirements:
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
This additional service has been	This additional service has been
completed in accordance with the Additional Service Requirements:	completed in accordance with the Additional Service Requirements:
Additional Service Requirements:	Additional Service Requirements:
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
This additional service has been	This additional service has been
completed in accordance with the	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
Date:	Date:
1/	
Km:	Km:
Km: Service Centre Verification	Km: Service Centre Verification

This additional service has been	This additional service has been
completed in accordance with the	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
Data	Data
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
This additional service has been	This additional service has been
completed in accordance with the	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
Additional Service Requirements.	Additional Service Requirements.
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
This additional service has been	This additional service has been
completed in accordance with the	
	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
Date:	Date:
Vm.	Km:
Km:	NIII.
Service Centre Verification	
j j Service Centre vernication	Service Centre Verification
Service Certifie Verification	Service Centre Verification
Service Centre vernication	Service Centre Verification

	_
This additional service has been	This additional service has been
completed in accordance with the	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
, and an action to a fact that the state of	The answer at Service Requirements.
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
This additional service has been	This additional service has been
completed in accordance with the	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
•	
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
This additional service has been	This additional service has been
completed in accordance with the	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
. is substant out vice requirements.	
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification

This additional service has been completed in accordance with the Additional Service Requirements:	This additional service has been completed in accordance with the Additional Service Requirements:
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
- 1. 11 1	T
This additional service has been completed in accordance with the	This additional service has been completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
Additional Service Requirements.	Additional Service Requirements.
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
6()	
This additional service has been	This additional service has been
completed in accordance with the	completed in accordance with the
Additional Service Requirements:	Additional Service Requirements:
Date:	Date:
Km:	Km:
Service Centre Verification	Service Centre Verification
Service certife vermeation	Service centre vernication

Odometer Change Record

ODOMETER CHANGE RECORD
If for some reason you need a new odometer installed, please have your Toyota Dealer verify the date of change and the kilometres travelled in this panel below. Ensure the Dealer adds their stamp too!
Odometer changed at:
km:
Date:
060
ODOMETED CHANGE DECORD

If for some reason you need a new odometer installed, please have your Toyota Dealer verify the date of change and the kilometres travelled in this panel below.

Ensure the Dealer adds their stamp too!

Odometer changed at:

km:

Date:





This Warranty and Service book covers Land Cruiser Prado model: GDJ150 with 1GD-FTV diesel engine.

Part Number: TSO2022

Issue: 2301-04